

# Package ‘lsirm12pl’

February 4, 2026

**Type** Package

**Title** Latent Space Item Response Model

**Version** 2.0.0

**Date** 2026-02-03

**Maintainer** Gwanghee Kim <musagh08@yonsei.ac.kr>

**Description** Analysis of dichotomous, ordinal, and continuous response data using latent space item response models (LSIRMs). Provides 1PL and 2PL LSIRMs for binary response data as described in Jeon et al. (2021) <[doi:10.1007/s11336-021-09762-5](https://doi.org/10.1007/s11336-021-09762-5)>, extensions for continuous response data, and graded response models (GRM) for Likert-scale ordinal data as described in De Carolis et al. (2025) <[doi:10.1080/00273171.2025.2605678](https://doi.org/10.1080/00273171.2025.2605678)>. Supports Bayesian model selection with spike-and-slab priors, adaptive MCMC algorithms, and methods for handling missing data under missing at random (MAR) and missing completely at random (MCAR) assumptions. Provides various diagnostic plots to inspect the latent space and summaries of estimated parameters.

**License** GPL-3

**Imports** Rcpp (>= 1.0.5), MCMCpack, ggplot2, GPArotation, dplyr (>= 1.1.4), grDevices, rlang, pROC, coda, spatstat, spatstat.geom, spatstat.random, plotly, gridExtra, grid, tidyverse, fpc, kernlab, plyr, purrr

**LinkingTo** Rcpp, RcppArmadillo

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**Suggests** knitr

**Depends** R (>= 4.0.0)

**LazyData** true

**NeedsCompilation** yes

**Author** Dongyoung Go [aut],  
Gwanghee Kim [aut, cre],  
Jina Park [aut],  
Ickhoon Jin [ctb],  
Minjeong Jeon [ctb]

**Repository** CRAN**Date/Publication** 2026-02-04 08:20:24 UTC

## Contents

BFPT	3
diagnostic	4
gof	5
lsirm	5
lsirm.formula	7
lsirm12pl	7
lsirm1pl	7
lsirm1pl_fixed_gamma	12
lsirm1pl_fixed_gamma_mar	14
lsirm1pl_fixed_gamma_mcar	17
lsirm1pl_mar	20
lsirm1pl_mar_ss	23
lsirm1pl_mcar	27
lsirm1pl_mcar_ss	30
lsirm1pl_normal_fixed_gamma	33
lsirm1pl_normal_fixed_gamma_mar	36
lsirm1pl_normal_fixed_gamma_mcar	39
lsirm1pl_normal_mar	42
lsirm1pl_normal_mar_ss	46
lsirm1pl_normal_mcar	50
lsirm1pl_normal_mcar_ss	53
lsirm1pl_normal_o	57
lsirm1pl_normal_ss	60
lsirm1pl_o	63
lsirm1pl_ss	66
lsirm2pl	70
lsirm2pl_fixed_gamma	74
lsirm2pl_fixed_gamma_mar	77
lsirm2pl_fixed_gamma_mcar	80
lsirm2pl_mar	84
lsirm2pl_mar_ss	88
lsirm2pl_mcar	92
lsirm2pl_mcar_ss	95
lsirm2pl_normal_fixed_gamma	99
lsirm2pl_normal_fixed_gamma_mar	102
lsirm2pl_normal_fixed_gamma_mcar	105
lsirm2pl_normal_mar	109
lsirm2pl_normal_mar_ss	113
lsirm2pl_normal_mcar	117
lsirm2pl_normal_mcar_ss	121
lsirm2pl_normal_o	125
lsirm2pl_normal_ss	128

lsirm2pl_o . . . . .	132
lsirm2pl_ss . . . . .	135
lsirmgrm . . . . .	139
lsirmgrm2pl . . . . .	143
lsirmgrm2pl_fixed_gamma . . . . .	147
lsirmgrm2pl_mar . . . . .	150
lsirmgrm2pl_mcar . . . . .	152
lsirmgrm2pl_o . . . . .	155
lsirmgrm2pl_ss . . . . .	158
lsirmgrm_fixed_gamma . . . . .	161
lsirmgrm_mar . . . . .	163
lsirmgrm_mcar . . . . .	166
lsirmgrm_o . . . . .	168
lsirmgrm_ss . . . . .	171
onepl . . . . .	174
plot . . . . .	175
print.summary.lsirm . . . . .	177
summary.lsirm . . . . .	177
TDRI . . . . .	178
twopl . . . . .	179

**Index****182**

---

BFPT*Big Five Personality Test*

---

**Description**

A dataset containing the result of personality test for 50 questions from 1,000 random sampled people.

**Usage**

```
data(BFPT)
```

**Format**

A matrix with 1,015,341 rows and 50 columns.

**Details**

A dataset collected in 2016-2018 through an interactive on-line personality test, containing the result of personality test for 50 questions. 1,000 people are random sampled from the original dataset containing 1,015,341 people. The scale is labeled as 1=Disagree, 3=Neutral and 5=Agree.

**Source**

<https://www.kaggle.com/tunguz/big-five-personality-test>

---

diagnostic	<i>Diagnostic the result of LSIRM.</i>
------------	--

---

## Description

diagnostic checks the convergence of MCMC for LSIRM parameters using various diagnostic tools, such as trace plots, posterior density distributions, autocorrelation functions (ACF), and Gelman-Rubin-Brooks plots.

## Usage

```
diagnostic(
  object,
  draw.item = list(beta = c(1), theta = c(1)),
  gelman.diag = FALSE
)
```

## Arguments

object	Object of class lsirm.
draw.item	List; Each key in the list corresponds to a specific parameters such as "beta", "theta", "gamma", "alpha", "sigma", "theta_sd", "z", "w", and "zw.dist". The values of the list indicate the indices of these parameters. For the key "zw.dist", the value is a matrix with two columns: the first column represents the indices of respondents, and the second column represents the indices of items. For the keys "z" and "w", the value is a matrix with two columns: the first column represents the indices of respondents/items, and the second column represents the dimension indices.
gelman.diag	Logical; If TRUE, the Gelman-Rubin convergence diagnostic will be printed. Default is FALSE.

## Value

diagnostic returns plots for checking MCMC convergence for selected parameters.

## Examples

```
# Generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# For 1PL LSIRM
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = FALSE))
diagnostic(lsirm_result)

# For 2PL LSIRM
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = FALSE, fixed_gamma = FALSE))
diagnostic(lsirm_result)
```

---

```
# For specific latent positions
diagnostic(lsirm_result, draw.item = list(z = matrix(c(1,1, 2,1, 1,2), ncol=2, byrow=TRUE),
                                             w = matrix(c(1,1, 2,1), ncol=2, byrow=TRUE)))
```

---

gof

*Goodness-of-fit LSIRM***Description**

`gof` is goodness-of-fit the latent space of fitted LSIRM.

**Usage**

```
gof(object, chain.idx = 1)
```

**Arguments**

<code>object</code>	Object of class <code>lsirm</code> .
<code>chain.idx</code>	Numeric; Index of MCMC chain. Default is 1.

**Value**

`gof` returns the boxplot or AUC plot

**Examples**

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)
lsirm_result <- lsirm(data ~ lsirm1pl())
gof(lsirm_result)
```

---

lsirm

*Fit a LSIRM ( Latent Space Item Response Model)***Description**

`lsirm` is used to fit 1PL LSIRM, 2PL LSIRM, and ordinal GRM LSIRM using Bayesian methods.

**Usage**

```
lsirm(formula, ...)
```

## Arguments

formula The form of formula is `lsirm(A ~ <term 1>(<term 2>, <term 3> ...))`, where A is an item response matrix to be analyzed, <term1> is the model you want to fit and has one of the following values: "lsirm1pl", "lsirm2pl", "lsirmgrm", and "lsirmgrm2pl",, and <term 2>, <term 3>, etc. are each option for the model.

... Additional arguments for the corresponding function.

## Details

The descriptions of options for each model, such as <term 2> and <term 3>, are included in [lsirm1pl](#) for 1PL LSIRM, [lsirm2pl](#) for 2PL LSIRM, and [lsirmgrm](#) for ordinal GRM LSIRM.

## Value

`lsirm` returns an object of class `list`.

See corresponding functions such as [lsirm1pl](#) for 1PL LSIRM and [lsirm2pl](#) for 2PL LSIRM.

## See Also

[lsirm1pl](#) for 1PL LSIRM.

[lsirm2pl](#) for 2PL LSIRM.

[lsirmgrm](#) for ordinal GRM LSIRM.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

lsirm_result <- lsirm(data~lsirm1pl())
lsirm_result <- lsirm(data~lsirm2pl())

# Realistic example with BFPT data
data(BFPT)
dat <- BFPT
dat[(dat == 0) | (dat == 6)] <- NA
reverse <- c(2, 4, 6, 8, 10, 11, 13, 15, 16, 17, 18, 19, 20, 21, 23, 25, 27, 32, 34, 36, 42, 44, 46)
dat[, reverse] <- 6 - dat[, reverse]
dat <- dat[complete.cases(dat), ]
# Fit model (subset for speed)
fit_bfpt <- lsirm(dat[1:50, 1:10] ~ lsirmgrm(niter = 1000, nburn = 500))
summary(fit_bfpt)

# Fit with adaptive MCMC
lsirm_result <- lsirm(data~lsirm1pl(adapt = list(use_adapt = TRUE)))
```

---

lsirm.formula	<i>Formula function for LSIRM</i>
---------------	-----------------------------------

---

**Description**

[lsirm.formula](#) is formula object.

**Usage**

```
## S3 method for class 'formula'
lsirm(formula, ...)
```

**Arguments**

formula	The form of formula is <code>lsirm(A ~ &lt;term 1&gt;(&lt;term 2&gt;, &lt;term 3&gt; ...))</code> , where A is an item response matrix to be analyzed, <term1> is the model you want to fit and has one of the following values: "lsirm1pl", "lsirm2pl", "lsirmgrm", and "lsirmgrm2pl", and <term 2>, <term 3>, etc., are each option for the model.
...	Additional arguments for the corresponding function.

---

lsirm12pl	<i>lsirm12pl-package</i>
-----------	--------------------------

---

**Description**

#' Analysis of dichotomous, continuous, and ordinal response data using latent space models. It includes 1PL and 2PL Latent Space Item Response Models (LSIRM) for binary and continuous data, and Graded Response Models (GRM) for ordinal data, as described in Jeon et al. (2021) <doi:10.1007/s11336-021-09762-5>. Bayesian model selection with spike-and-slab prior and method for dealing data with missing value under missing at random (MAR), missing completely at random (MCAR) are also supported. Various diagnostic plots are available to inspect the latent space and summary of estimated parameters.

---

lsirm1pl	<i>Fit a 1PL LSIRM for binary and continuous item response data</i>
----------	---

---

**Description**

[lsirm1pl](#) integrates all functions related to 1PL LSIRM. Various 1PL LSIRM function can be used by setting the `spikenslab`, `fixed_gamma`, and `missing_data` arguments.

This function can be used regardless of the data type, providing a unified approach to model fitting.

**Usage**

```
lsirm1pl(
  data,
  spikenslab = FALSE,
  fixed_gamma = FALSE,
  missing_data = NA,
  chains = 1,
  multicore = 1,
  seed = NA,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  adapt = NULL,
  ...
)
```

**Arguments**

<code>data</code>	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
<code>spikenslab</code>	Logical; specifies whether to use a model selection approach. Default is FALSE.
<code>fixed_gamma</code>	Logical; indicates whether to fix gamma at 1. Default is FALSE.
<code>missing_data</code>	Character; the type of missing data assumed. Options are NA, "mar", or "mcar". Default is NA.
<code>chains</code>	Integer; the number of MCMC chains to run. Default is 1.
<code>multicore</code>	Integer; the number of cores to use for parallel execution. Default is 1.
<code>seed</code>	Integer; the seed number for MCMC fitting. Default is NA.
<code>ndim</code>	Integer; the dimension of the latent space. Default is 2.

niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
adapt	<p>List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include:</p> <ul style="list-style-type: none"> <li>• use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>• adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>• adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>• decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>• target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma, alpha). Default is 0.44.</li> </ul>

- `target_accept_zw`: Numeric; target acceptance rate for multi-dimensional latent positions  $z$  and  $w$ . Default is 0.234.
- `target_accept_beta/theta/gamma`: Numeric; (optional) parameter-specific target acceptance rates to override `target_accept`.

... Additional arguments passed to the underlying model-fitting functions.

## Details

Additional arguments and return values for each function are documented in the respective function's description.

- \* For LSIRM with data included missing value are detailed in [lsirm1pl\\_mar](#) and [lsirm1pl\\_mcar](#).
- \* For LSIRM using the spike-and-slab model selection approach are detailed in [lsirm1pl\\_ss](#).
- \* For continuous version of LSIRM are detailed in [lsirm1pl\\_normal\\_o](#).

For 1PL LSIRM with binary item response data, the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \beta_i, \gamma, z_j, w_i)) = \theta_j + \beta_i - \gamma \|z_j - w_i\|$$

For 1PL LSIRM with continuous item response data, the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$ .

## Value

`lsirm1pl` returns an object of list. The basic return list containing the following components:

<code>data</code>	A data frame or matrix containing the variables used in the model.
<code>bic</code>	A numeric value representing the Bayesian Information Criterion (BIC).
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.

beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
...	Additional return values for various settings. Refer to the functions in the Details.

### Note

If both `spikenslab` and `fixed_gamma` are set TRUE, it returns error because both are related to `gamma`.

### See Also

The LSIRM for 1PL LSIRM for binary item response data as following:

`lsirm1pl_o`, `lsirm1pl_fixed_gamma`, `lsirm1pl_mar`, `lsirm1pl_mcar`, `lsirm1pl_fixed_gamma_mar`, `lsirm1pl_fixed_gamma_mcar`, `lsirm1pl_ss`, `lsirm1pl_mar_ss`, and `lsirm1pl_mcar_ss`

The LSIRM for 1PL LSIRM for continuous item response data as following:

`lsirm1pl_normal_o`, `lsirm1pl_normal_fixed_gamma`, `lsirm1pl_normal_mar`, `lsirm1pl_normal_mcar`, `lsirm1pl_normal_ss`, `lsirm1pl_normal_mar_ss`, `lsirm1pl_normal_mcar_ss`

### Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)
lsirm_result <- lsirm1pl(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data~lsirm1pl())

# Fit with adaptive MCMC
lsirm_result <- lsirm1pl(data, adapt = list(use_adapt = TRUE))
```

---

lsirm1pl\_fixed\_gamma *IPL LSIRM fixing gamma to 1.*

---

### Description

[lsirm1pl\\_fixed\\_gamma](#) is used to fit 1PL LSIRM with gamma fixed to 1. [lsirm1pl\\_fixed\\_gamma](#) factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space. The resulting latent space provides an interaction map that represents interactions between respondents and items.

### Usage

```
lsirm1pl_fixed_gamma(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  verbose = FALSE,
  fix_theta_sd = FALSE
)
```

### Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.

jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. default value is FALSE
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_fixed_gamma` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space:

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \beta_i, z_j, w_i)) = \theta_j + \beta_i - \|z_j - w_i\|$$

## Value

`lsirm1pl_fixed_gamma` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.

theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

lsirm_result <- lsirm1pl_fixed_gamma(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = TRUE))
```

---

### lsirm1pl\_fixed\_gamma\_mar

*IPL LSIRM fixing gamma to 1 for missing at random data.*

---

## Description

`lsirm1pl_fixed_gamma_mar` is used to fit LSIRM with gamma fixed to 1 in incomplete data assumed to be missing at random. `lsirm1pl_fixed_gamma_mar` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while considering the missing element under the assumption of missing at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm1pl_fixed_gamma_mar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
```

```

  jump_theta = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. default value is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_fixed_gamma_mar` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space:

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \beta_i, z_j, w_i)) = \theta_j + \beta_i - \|z_j - w_i\|$$

Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References.

## Value

`lsirm1pl_fixed_gamma_mar` returns an object of list containing the following components:

<code>data</code>	Data frame or matrix containing the variables in the model.
<code>missing.val</code>	A number to replace missing values.
<code>bic</code>	Numeric value with the corresponding BIC.
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>imp_estimate</code>	Probability of imputing a missing value with 1.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>z_raw</code>	Posterior samples of the z parameter without procrustes matching.
<code>w_raw</code>	Posterior samples of the w parameter without procrustes matching.
<code>imp</code>	Imputation for missing Values using posterior samples.
<code>accept_beta</code>	Acceptance ratio for the beta parameter.
<code>accept_theta</code>	Acceptance ratio for the theta parameter.
<code>accept_z</code>	Acceptance ratio for the z parameter.
<code>accept_w</code>	Acceptance ratio for the w parameter.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_fixed_gamma_mar(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = TRUE,
missing_data = "mar", missing.val = 99))
```

---

lsirm1pl\_fixed\_gamma\_mcar

*IPL LSIRM fixing gamma to 1 for missing completely at random data.*

---

## Description

`lsirm1pl_fixed_gamma_mcar` is used to fit LSIRM with gamma fixed to 1 in incomplete data assumed to be missing completely at random. `lsirm1pl_fixed_gamma_mcar` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while ignoring the missing element under the assumption of missing completely at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm1pl_fixed_gamma_mcar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_z = 0.5,
  jump_w = 0.5,
```

```

  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. default value is FALSE
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_fixed_gamma_mcar` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space:

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \beta_i, z_j, w_i)) = \theta_j + \beta_i - \|z_j - w_i\|$$

Under the assumption of missing completely at random, the model ignores the missing element in doing inference. For the details of missing completely at random assumption and data augmentation, see References.

## Value

`lsirm1pl_fixed_gamma_mcar` returns an object of list containing the following components:

<code>data</code>	Data frame or matrix containing the variables in the model.
<code>missing.val</code>	A number to replace missing values.
<code>bic</code>	Numeric value with the corresponding BIC.
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>z_raw</code>	Posterior samples of the z parameter without procrustes matching.
<code>w_raw</code>	Posterior samples of the w parameter without procrustes matching.
<code>accept_beta</code>	Acceptance ratio for the beta parameter.
<code>accept_theta</code>	Acceptance ratio for the theta parameter.
<code>accept_z</code>	Acceptance ratio for the z parameter.
<code>accept_w</code>	Acceptance ratio for the w parameter.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_fixed_gamma_mcar(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = TRUE,
missing_data = "mcar", missing.val = 99))
```

---

lsirm1pl\_mar

*IPL LSIRM for missing at random data.*

---

## Description

`lsirm1pl_mar` is used to fit 1PL LSIRM in incomplete data assumed to be missing at random. `lsirm1pl_mar` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while considering the missing element under the assumption of missing at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm1pl_mar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
```

```

  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. default value is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_mar` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \beta_i, \gamma, z_j, w_i)) = \theta_j + \beta_i - \gamma \|z_j - w_i\|$$

Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References.

## Value

`lsirm1pl_mar` returns an object of list containing the following components:

<code>data</code>	Data frame or matrix containing the variables in the model.
<code>missing.val</code>	A number to replace missing values.
<code>bic</code>	Numeric value with the corresponding BIC.
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>gamma_estimate</code>	posterior estimates of gamma parameter.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>imp_estimate</code>	Probability of imputing a missing value with 1.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>gamma</code>	Posterior samples of the gamma parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>z_raw</code>	Posterior samples of the z parameter without procrustes matching.
<code>w_raw</code>	Posterior samples of the w parameter without procrustes matching.
<code>imp</code>	Imputation for missing Values using posterior samples.
<code>accept_beta</code>	Acceptance ratio for the beta parameter.
<code>accept_theta</code>	Acceptance ratio for the theta parameter.
<code>accept_z</code>	Acceptance ratio for the z parameter.
<code>accept_w</code>	Acceptance ratio for the w parameter.
<code>accept_gamma</code>	Acceptance ratio for the gamma parameter.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_mar(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = FALSE,
missing_data ='mar', missing.val = 99))
```

---

lsirm1pl\_mar\_ss

*IPL LSIRM with model selection approach for missing at random data.*

---

## Description

`lsirm1pl_mar_ss` is used to fit 1PL LSIRM with model selection approach based on spike-and-slab priors in incomplete data assumed to be missing at random. `lsirm1pl_mar_ss` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while considering the missing element under the assumption of missing at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm1pl_mar_ss(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 1,
  jump_z = 0.5,
```

```

  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_xi_a = 1,
  pr_xi_b = 1,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_spike_mean	Numeric; the mean of spike prior for log gamma. Default is -3.
pr_spike_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_slab_mean	Numeric; the mean of spike prior for log gamma. Default is 0.5.
pr_slab_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.

pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_xi_a	Numeric; the first shape parameter of beta prior for latent variable xi. Default is 1.
pr_xi_b	Numeric; the second shape parameter of beta prior for latent variable xi. Default is 1.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_mar_ss` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \beta_i, \gamma, z_j, w_i)) = \theta_j + \beta_i - \gamma \|z_j - w_i\|$$

Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References. `lsirm1pl_mar_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

## Value

`lsirm1pl_mar_ss` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.

beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
gamma	Posterior samples of the gamma parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
pi	Posterior samples of phi which is indicator of spike and slab prior. If phi is 1, log gamma follows the slab prior, otherwise follows the spike prior.
imp	Imputation for missing Values using posterior samples.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
pi_estimate	Posterior estimation of phi. inclusion probability of gamma. if estimation of phi is less than 0.5, choose Rasch model with gamma = 0, otherwise latent space model with gamma > 0.
imp_estimate	Probability of imputing a missing value with 1.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons. Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: frequentist and Bayesian strategies. *The Annals of Statistics*, 33(2), 730-773.

## Examples

```

# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_mar_ss(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = TRUE, fixed_gamma = FALSE,
missing_data = 'mar', missing = 99))

```

---

<code>lsirm1pl_mcar</code>	<i>IPL LSIRM for missing completely at random data.</i>
----------------------------	---

---

## Description

`lsirm1pl_mcar` is used to fit 1PL LSIRM in incomplete data assumed to be missing completely at random. `lsirm1pl_mcar` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while ignoring the missing element under the assumption of missing completely at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm1pl_mcar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE
)
```

## Arguments

<code>data</code>	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
<code>ndim</code>	Integer; the dimension of the latent space. Default is 2.
<code>niter</code>	Integer; the total number of MCMC iterations to run. Default is 15000.

nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
missing.val	Numeric; A number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

lsirm1pl\_mcar models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \beta_i, \gamma, z_j, w_i)) = \theta_j + \beta_i - \gamma \|z_j - w_i\|$$

Under the assumption of missing completely at random, the model ignores the missing element in doing inference. For the details of missing completely at random assumption and data augmentation, see References.

## Value

lsirm1pl\_mcar returns an object of list containing the following components:

data	A data frame or matrix containing the variables used in the model.
missing.val	A number to replace missing values.

bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	Posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
gamma	Posterior samples of the gamma parameter.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99
```

```

lsirm_result <- lsirm1pl_mcar(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = FALSE,
missing_data ='mcar', missing.val = 99))

```

---

lsirm1pl\_mcar\_ss

*IPL LSIRM with model selection approach for missing completely at random data.*

---

## Description

[lsirm1pl\\_mcar\\_ss](#) is used to fit 1PL LSIRM with model selection approach based on spike-and-slab priors in incomplete data assumed to be missing completely at random. [lsirm1pl\\_mcar\\_ss](#) factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while ignoring the missing element under the assumption of missing completely at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```

lsirm1pl_mcar_ss(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_xi_a = 1,
  pr_xi_b = 1,
  missing.val = 99,

```

```

  verbose = FALSE,
  fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_spike_mean	Numeric; the mean of spike prior for log gamma. Default is -3.
pr_spike_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_slab_mean	Numeric; the mean of spike prior for log gamma. Default is 0.5.
pr_slab_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_xi_a	Numeric; the first shape parameter of beta prior for latent variable xi. Default is 1.
pr_xi_b	Numeric; the second shape parameter of beta prior for latent variable xi. Default is 1.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_mcar_ss` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \beta_i, \gamma, z_j, w_i)) = \theta_j + \beta_i - \gamma \|z_j - w_i\|$$

Under the assumption of missing completely at random, the model ignores the missing element in doing inference. For the details of missing completely at random assumption and data augmentation, see References. `lsirm1pl_mcar_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

## Value

`lsirm1pl_mcar_ss` returns an object of list containing the following components:

<code>data</code>	Data frame or matrix containing the variables in the model.
<code>missing.val</code>	A number to replace missing values.
<code>bic</code>	Numeric value with the corresponding BIC.
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>gamma_estimate</code>	posterior estimates of gamma parameter.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>gamma</code>	Posterior samples of the gamma parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>z_raw</code>	Posterior samples of the z parameter without procrustes matching.
<code>w_raw</code>	Posterior samples of the w parameter without procrustes matching.
<code>pi</code>	Posterior samples of phi which is indicator of spike and slab prior. If phi is 1, log gamma follows the slab prior, otherwise follows the spike prior.
<code>accept_beta</code>	Acceptance ratio for the beta parameter.

```

accept_theta    Acceptance ratio for the theta parameter.
accept_z        Acceptance ratio for the z parameter.
accept_w        Acceptance ratio for the w parameter.
accept_gamma    Acceptance ratio for the gamma parameter.

```

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons. Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: frequentist and Bayesian strategies. *The Annals of Statistics*, 33(2), 730-773.

## Examples

```

# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_mcar_ss(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = TRUE, fixed_gamma = FALSE,
missing_data ='mcar', missing.val = 99))

```

---

lsirm1pl\_normal\_fixed\_gamma

*IPL LSIRM fixing gamma to 1 with normal likelihood*

---

## Description

`lsirm1pl_normal_fixed_gamma` is used to fit 1PL LSIRM for continuous variable with gamma fixed to 1. `lsirm1pl_normal_fixed_gamma` factorizes continuous item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while ignoring the missing element under the assumption of missing at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```

lsirm1pl_normal_fixed_gamma(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,

```

```

nthin = 5,
nprint = 500,
jump_beta = 0.4,
jump_theta = 1,
jump_z = 0.5,
jump_w = 0.5,
pr_mean_beta = 0,
pr_sd_beta = 1,
pr_mean_theta = 0,
pr_sd_theta = 1,
pr_a_theta = 0.001,
pr_b_theta = 0.001,
pr_a_eps = 0.001,
pr_b_eps = 0.001,
verbose = FALSE,
fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.

pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. default value is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_normal_fixed_gamma` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space:

$$Y_{j,i} = \theta_j + \beta_i - \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$ .

## Value

`lsirm1pl_normal_fixed_gamma` returns an object of list containing the following components:

data	A data frame or matrix containing the variables used in the model.
bic	A numeric value representing the Bayesian Information Criterion (BIC).
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.

```

accept_z      Acceptance ratio for the z parameter.
accept_w      Acceptance ratio for the w parameter.
sigma_estimate Posterior estimates of the standard deviation.
sigma         Posterior samples of the standard deviation.

```

## Examples

```

# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_normal_fixed_gamma(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = TRUE))

```

---

### lsirm1pl\_normal\_fixed\_gamma\_mar

*IPL LSIRM fixing gamma to 1 with normal likelihood for missing at random data.*

---

## Description

`lsirm1pl_normal_fixed_gamma_mar` is used to fit 1PL LSIRM for continuous variable with gamma fixed to 1 in incomplete data assumed to be missing at random.

`lsirm1pl_normal_fixed_gamma_mar` factorizes continuous item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while considering the missing element under the assumption of missing at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```

lsirm1pl_normal_fixed_gamma_mar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,

```

```

  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.

missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_normal_fixed_gamma_mar` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space:

$$Y_{ji} = \theta_j + \beta_i - \|z_j - w_i\| + e_{ji}$$

where the error  $e_{ji} \sim N(0, \sigma^2)$ . Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References.

## Value

`lsirm1pl_normal_fixed_gamma_mar` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
imp_estimate	Probability of imputing a missing value with 1.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.

z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
imp	Imputation for missing Values using posterior samples.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
sigma_estimate	Posterior estimates of the standard deviation.
sigma	Posterior samples of the standard deviation.

## Examples

```

# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_normal_fixed_gamma_mar(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = TRUE,
missing_data = "mar", missing.val = 99))

```

---

### lsirm1pl\_normal\_fixed\_gamma\_mcar

*IPL LSIRM fixing gamma to 1 with normal likelihood for missing completely at random data.*

---

## Description

`lsirm1pl_normal_fixed_gamma_mcar` is used to fit 1PL LSIRM for continuous variable with gamma fixed to 1 in incomplete data assumed to be missing completely at random.

`lsirm1pl_normal_fixed_gamma_mcar` factorizes continuous item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while ignoring the missing element under the assumption of missing completely at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

**Usage**

```
lsirm1pl_normal_fixed_gamma_mcar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE
)
```

**Arguments**

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.

pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_normal_fixed_gamma_mcar` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space:

$$Y_{j,i} = \theta_j + \beta_i - \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$  Under the assumption of missing completely at random, the model ignores the missing element in doing inference. For the details of missing completely at random assumption and data augmentation, see References.

## Value

`lsirm1pl_normal_fixed_gamma_mcar` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.

beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
sigma_estimate	Posterior estimates of the standard deviation.
sigma	Posterior samples of the standard deviation.

## Examples

```

# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_normal_fixed_gamma_mcarr(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = TRUE,
missing_data = "mcarr", missing.val = 99))

```

---

lsirm1pl\_normal\_mar     *IPL LSIRM with normal likelihood for missing at random data.*

---

## Description

`lsirm1pl_normal_mar` is used to fit LSIRM for continuous variable with 1pl in incomplete data assumed to be missing at random. `lsirm1pl_normal_mar` factorizes continuous item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while considering the missing element under the assumption of missing at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

**Usage**

```
lsirm1pl_normal_mar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE
)
```

**Arguments**

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.

pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_normal_mar` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$  Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References.

## Value

`lsirm1pl_normal_mar` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.

theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
imp_estimate	Posterior mean imputation for each missing cell.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
gamma	Posterior samples of the gamma parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
imp	Imputation for missing Values using posterior samples.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
sigma_estimate	Posterior estimates of the standard deviation.
sigma	Posterior samples of the standard deviation.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

```
# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_normal_mar(data)
```

```
# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = FALSE,
missing_data ='mar', missing.val = 99))
```

---

lsirm1pl\_normal\_mar\_ss

*IPL LSIRM with normal likelihood and model selection approach for missing at random data.*

---

## Description

`lsirm1pl_normal_mar_ss` is used to fit 1PL LSIRM with model selection approach based on spike-and-slab priors for continuous variable with 1pl in incomplete data assumed to be missing at random. `lsirm1pl_normal_mar_ss` factorizes continuous item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while considering the missing element under the assumption of missing at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm1pl_normal_mar_ss(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  pr_xi_a = 0.001,
```

```

  pr_xi_b = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_spike_mean	Numeric; the mean of spike prior for log gamma. Default is -3.
pr_spike_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_slab_mean	Numeric; the mean of spike prior for log gamma. Default is 0.5.
pr_slab_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_xi_a	Numeric; the first shape parameter of beta prior for latent variable xi. Default is 1.

pr_xi_b	Numeric; the second shape parameter of beta prior for latent variable xi. Default is 1.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

### Details

`lsirm1pl_normal_mar_ss` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$  Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References. `lsirm1pl_normal_mar_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

### Value

`lsirm1pl_normal_mar_ss` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
gamma	Posterior samples of the gamma parameter.
theta_sd	Posterior samples of the standard deviation of theta.

z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
pi	Posterior samples of phi which is indicator of spike and slab prior. If phi is 1, log gamma follows the slab prior, otherwise follows the spike prior.
imp	Imputation for missing Values using posterior samples.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
pi_estimate	Posterior estimation of phi. inclusion probability of gamma. if estimation of phi is less than 0.5, choose Rasch model with gamma = 0, otherwise latent space model with gamma > 0.
imp_estimate	Probability of imputing a missing value with 1.
sigma_estimate	Posterior estimates of the standard deviation.
sigma	Posterior samples of the standard deviation.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons. Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: frequentist and Bayesian strategies. *The Annals of Statistics*, 33(2), 730-773.

## Examples

```

# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_normal_mar_ss(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = TRUE, fixed_gamma = FALSE,
missing_data = 'mar', missing = 99))

```

---

**lsirm1pl\_normal\_mcar** *IPL LSIRM with normal likelihood for missing completely at random data.*

---

## Description

**lsirm1pl\_normal\_mcar** is used to fit LSIRM with 1pl in incomplete data assumed to be missing completely at random. **lsirm1pl\_normal\_mcar** factorizes continuous item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while ignoring the missing element under the assumption of missing completely at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm1pl_normal_mcar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE
)
```

## Arguments

<b>data</b>	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
-------------	---

ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_normal_mcar` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$  Under the assumption of missing completely at random, the model ignores the missing element in doing inference. For the details of missing at random assumption and data augmentation, see References.

**Value**

`lsirm1pl_normal_mcar` returns an object of list containing the following components:

<code>data</code>	A data frame or matrix containing the variables used in the model.
<code>missing.val</code>	A number to replace missing values.
<code>bic</code>	Numeric value with the corresponding BIC.
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>gamma_estimate</code>	Posterior estimates of gamma parameter.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>gamma</code>	Posterior samples of the gamma parameter.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>z_raw</code>	Posterior samples of the z parameter without procrustes matching.
<code>w_raw</code>	Posterior samples of the w parameter without procrustes matching.
<code>accept_beta</code>	Acceptance ratio for the beta parameter.
<code>accept_theta</code>	Acceptance ratio for the theta parameter.
<code>accept_z</code>	Acceptance ratio for the z parameter.
<code>accept_w</code>	Acceptance ratio for the w parameter.
<code>accept_gamma</code>	Acceptance ratio for the gamma parameter.
<code>sigma_estimate</code>	Posterior estimates of the standard deviation.
<code>sigma</code>	Posterior samples of the standard deviation.

**References**

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

```

# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_normal_mcar(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = FALSE,
missing_data ='mcar', missing.val = 99))

```

---

lsirm1pl\_normal\_mcar\_ss

*IPL LSIRM with normal likelihood and model selection approach for missing completely at random data.*

---

## Description

`lsirm1pl_normal_mcar_ss` is used to fit LSIRM with model selection approach based on spike-and-slab priors for continuous variable with 1pl in incomplete data assumed to be missing completely at random. `lsirm1pl_normal_mcar_ss` factorizes continuous item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while ignoring the missing element under the assumption of missing completely at random. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```

lsirm1pl_normal_mcar_ss(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,

```

```

  pr_sd_theta = 1,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  pr_xi_a = 0.001,
  pr_xi_b = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_spike_mean	Numeric; the mean of spike prior for log gamma. Default is -3.
pr_spike_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_slab_mean	Numeric; the mean of spike prior for log gamma. Default is 0.5.
pr_slab_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.

pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_xi_a	Numeric; the first shape parameter of beta prior for latent variable xi. Default is 1.
pr_xi_b	Numeric; the second shape parameter of beta prior for latent variable xi. Default is 1.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_normal_mcar_ss` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$ . Under the assumption of missing completely at random, the model ignores the missing element in doing inference. For the details of missing at random assumption and data augmentation, see References. `lsirm1pl_normal_mcar_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

## Value

`lsirm1pl_normal_mcar_ss` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.

gamma_estimate	posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
gamma	Posterior samples of the gamma parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
pi	Posterior samples of phi which is indicator of spike and slab prior. If phi is 1, log gamma follows the slab prior, otherwise follows the spike prior.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
sigma_estimate	Posterior estimates of the standard deviation.
sigma	Posterior samples of the standard deviation.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons. Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: frequentist and Bayesian strategies. *The Annals of Statistics*, 33(2), 730-773.

## Examples

```

# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm1pl_normal_mcar_ss(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = TRUE, fixed_gamma = FALSE,
missing_data ='mcar', missing.val = 99))

```

---

<code>lsirm1pl_normal_o</code>	<i>IPL LSIRM with normal likelihood.</i>
--------------------------------	--

---

## Description

`lsirm1pl_normal_o` is used to fit LSIRM for continuous variable with 1pl. `lsirm1pl_normal_o` factorizes continuous item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm1pl_normal_o(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  verbose = FALSE,
  fix_theta_sd = FALSE
)
```

## Arguments

<code>data</code>	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
<code>ndim</code>	Integer; the dimension of the latent space. Default is 2.
<code>niter</code>	Integer; the total number of MCMC iterations to run. Default is 15000.

nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

lsirm1pl\_normal\_o models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$ .

### Value

`lsirm1pl_normal_o` returns an object of list containing the following components:

<code>data</code>	Data frame or matrix containing the variables used in the model.
<code>bic</code>	A numeric value representing the Bayesian Information Criterion (BIC).
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>gamma_estimate</code>	Posterior estimates of gamma parameter.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>gamma</code>	Posterior samples of the gamma parameter.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>z_raw</code>	Posterior samples of the z parameter without procrustes matching.
<code>w_raw</code>	Posterior samples of the w parameter without procrustes matching.
<code>accept_beta</code>	Acceptance ratio for the beta parameter.
<code>accept_theta</code>	Acceptance ratio for the theta parameter.
<code>accept_z</code>	Acceptance ratio for the z parameter.
<code>accept_w</code>	Acceptance ratio for the w parameter.
<code>accept_gamma</code>	Acceptance ratio for the gamma parameter.
<code>sigma_estimate</code>	Posterior estimates of the standard deviation.
<code>sigma</code>	Posterior samples of the standard deviation.

### Examples

```
# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

lsirm_result <- lsirm1pl_normal_o(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = FALSE))
```

---

lsirm1pl\_normal\_ss      *IPL LSIRM with normal likelihood and model selection approach.*

---

### Description

`lsirm1pl_normal_ss` is used to fit LSIRM with model selection approach based on spike-and-slab priors for continuous variable with 1pl. LSIRM factorizes continuous item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space. The resulting latent space provides an interaction map that represents interactions between respondents and items.

### Usage

```
lsirm1pl_normal_ss(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  pr_xi_a = 0.001,
  pr_xi_b = 0.001,
  verbose = FALSE,
  fix_theta_sd = FALSE
)
```

### Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
------	---

ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_spike_mean	Numeric; mean of spike prior for log gamma default value is -3.
pr_spike_sd	Numeric; standard deviation of spike prior for log gamma default value is 1.
pr_slab_mean	Numeric; mean of spike prior for log gamma default value is 0.5.
pr_slab_sd	Numeric; standard deviation of spike prior for log gamma default value is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_xi_a	Numeric; first shape parameter of beta prior for latent variable xi. Default is 1.
pr_xi_b	Numeric; second shape parameter of beta prior for latent variable xi. Default is 1.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_normal_ss` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$ . `lsrm1pl_normal_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

## Value

`lsirm1pl_normal_ss` returns an object of list containing the following components:

<code>data</code>	Data frame or matrix containing the variables in the model.
<code>bic</code>	Numeric value with the corresponding BIC.
<code>mcmc_inf</code>	number of mcmc iteration, burn-in periods, and thinning intervals.
<code>map_inf</code>	value of log maximum a posterior and iteration number which have log maximum a posterior.
<code>beta_estimate</code>	posterior estimation of beta.
<code>theta_estimate</code>	posterior estimation of theta.
<code>sigma_theta_estimate</code>	posterior estimation of standard deviation of theta.
<code>sigma_estimate</code>	posterior estimation of standard deviation.
<code>gamma_estimate</code>	posterior estimation of gamma.
<code>z_estimate</code>	posterior estimation of z.
<code>w_estimate</code>	posterior estimation of w.
<code>pi_estimate</code>	posterior estimation of phi. inclusion probability of gamma. if estimation of phi is less than 0.5, choose Rasch model with gamma = 0, otherwise latent space model with gamma > 0.
<code>beta</code>	posterior samples of beta.
<code>theta</code>	posterior samples of theta.
<code>theta_sd</code>	posterior samples of standard deviation of theta.
<code>sigma</code>	posterior samples of standard deviation.
<code>gamma</code>	posterior samples of gamma.
<code>z</code>	posterior samples of z. The output is 3-dimensional matrix with last axis represent the dimension of latent space.
<code>w</code>	posterior samples of w. The output is 3-dimensional matrix with last axis represent the dimension of latent space.
<code>z_raw</code>	posterior samples of z without procrustes matching.
<code>w_raw</code>	posterior samples of w without procrustes matching.
<code>pi</code>	posterior samples of phi which is indicator of spike and slab prior. If phi is 1, log gamma follows the slab prior, otherwise follows the spike prior.

```

accept_beta    accept ratio of beta.
accept_theta   accept ratio of theta.
accept_w       accept ratio of w.
accept_z       accept ratio of z.
accept_gamma   accept ratio of gamma.

```

## References

Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: Frequentist and Bayesian strategies (Vol. 33). *The Annals of Statistics*

## Examples

```

# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

lsirm_result <- lsirm1pl_normal_ss(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = TRUE, fixed_gamma = FALSE))

```

---

lsirm1pl\_o

*IPL LSIRM.*

---

## Description

`lsirm1pl_o` is used to fit 1PL LSIRM. `lsirm1pl_o` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```

lsirm1pl_o(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,

```

```

  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  adapt = NULL
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include:
	<ul style="list-style-type: none"> <li>use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma). Default is 0.44.</li> <li>target_accept_zw: Numeric; target acceptance rate for latent positions z and w. Default is 0.234.</li> <li>target_accept_beta/theta/gamma: Numeric; (optional) parameter-specific target acceptance rates to override target_accept.</li> </ul>

## Details

lsirm1pl\_o models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \beta_i, \gamma, z_j, w_i)) = \theta_j + \beta_i - \gamma \|z_j - w_i\|$$

## Value

lsirm1pl\_o returns an object of list containing the following components:

data	Data frame or matrix containing the variables used in the model.
bic	A numeric value representing the Bayesian Information Criterion (BIC).
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	Posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.

beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
gamma	Posterior samples of the gamma parameter.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

lsirm_result <- lsirm1pl_o(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = FALSE, fixed_gamma = FALSE))
```

---

lsirm1pl\_ss

*IPL LSIRM with model selection approach.*

---

## Description

`lsirm1pl_ss` is used to fit 1PL LSIRM with model selection approach based on spike-and-slab priors. LSIRM factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm1pl_ss(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
```

```

nthin = 5,
nprint = 500,
jump_beta = 0.4,
jump_theta = 1,
jump_gamma = 1,
jump_z = 0.5,
jump_w = 0.5,
pr_mean_beta = 0,
pr_sd_beta = 1,
pr_mean_theta = 0,
pr_sd_theta = 1,
pr_spike_mean = -3,
pr_spike_sd = 1,
pr_slab_mean = 0.5,
pr_slab_sd = 1,
pr_a_theta = 0.001,
pr_b_theta = 0.001,
pr_xi_a = 1,
pr_xi_b = 1,
verbose = FALSE,
fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.

pr_spike_mean	Numeric; the mean of spike prior for log gamma. Default is -3.
pr_spike_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_slab_mean	Numeric; the mean of spike prior for log gamma. Default is 0.5.
pr_slab_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_xi_a	Numeric; the first shape parameter of beta prior for latent variable xi. Default is 1.
pr_xi_b	Numeric; the second shape parameter of beta prior for latent variable xi. Default is 1.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

## Details

`lsirm1pl_ss` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term:

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \beta_i, \gamma, z_j, w_i)) = \theta_j + \beta_i - \gamma \|z_j - w_i\|$$

`lsirm1pl_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

## Value

`lsirm1pl_ss` returns an object of list containing the following components:

data	Data frame or matrix containing the variables used in the model.
bic	A numeric value representing the Bayesian Information Criterion (BIC).
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	Posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.

w_estimate	Posterior estimates of the w parameter.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
gamma	Posterior samples of the gamma parameter.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
pi_estimate	Posterior estimation of phi. inclusion probability of gamma. if estimation of phi is less than 0.5, choose Rasch model with gamma = 0, otherwise latent space model with gamma > 0.
pi	Posterior samples of phi which is indicator of spike and slab prior. If phi is 1, log gamma follows the slab prior, otherwise follows the spike prior.

## References

Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: Frequentist and Bayesian strategies (Vol. 33). *The Annals of Statistics*

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

lsirm_result <- lsirm1pl_ss(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm1pl(spikenslab = TRUE, fixed_gamma = FALSE))
```

---

**lsirm2pl***Fit a 2pl LSIRM for binary and continuous item resopnse data*

---

## Description

[lsirm2pl](#) integrates all functions related to 2PL LSIRM. Various 2PL LSIRM function can be used by setting the `spikenslab`, `fixed_gamma`, and `missing_data` arguments.

This function can be used regardless of the data type, providing a unified approach to model fitting.

## Usage

```
lsirm2pl(
  data,
  spikenslab = FALSE,
  fixed_gamma = FALSE,
  missing_data = NA,
  chains = 1,
  multicore = 1,
  seed = NA,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE,
  adapt = NULL,
  ...
)
```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
spikenslab	Logical; specifies whether to use a model selection approach. Default is FALSE.
fixed_gamma	Logical; indicates whether to fix gamma at 1. Default is FALSE.
missing_data	Character; the type of missing data assumed. Options are NA, "mar", or "mcar". Default is NA.
chains	Integer; the number of MCMC chains to run. Default is 1.
multicore	Integer; the number of cores to use for parallel execution. Default is 1.
seed	Integer; the seed number for MCMC fitting. Default is NA.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.

fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, accept_alpha, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>• use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>• adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>• adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>• decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>• target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma, alpha). Default is 0.44.</li> <li>• target_accept_zw: Numeric; target acceptance rate for the multi-dimensional latent positions z and w. Default is 0.234 (optimal for high dimensions; Roberts, Gelman &amp; Gilks, 1997).</li> <li>• target_accept_beta/theta/alpha/gamma: Numeric; (optional) parameter-specific target acceptance rates to override target_accept.</li> </ul>
...	Additional arguments passed to the underlying model-fitting functions.

## Details

Additional arguments and return values for each function are documented in the respective function's description.

- \* For 2PL LSIRM with data included missing value are detailed in [lsirm2pl\\_mar](#) and [lsirm2pl\\_mcar](#).
- \* For 2PL LSIRM using the spike-and-slab model selection approach are detailed in [lsirm2pl\\_ss](#).
- \* For continuous version of 2PL LSIRM are detailed in [lsirm2pl\\_normal\\_o](#).

For 2PL LSIRM with binary item response data, the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \alpha_i, \beta_i, \gamma, z_j, w_i)) = \theta_j * \alpha_i + \beta_i - \gamma ||z_j - w_i||$$

For 2PL LSIRM with continuous item response data, the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$Y_{j,i} = \theta_j + \beta_i - \gamma ||z_j - w_i|| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$

**Value**

`lsirm2pl` returns an object of list. The basic return list containing the following components:

<code>data</code>	A data frame or matrix containing the variables used in the model.
<code>bic</code>	A numeric value representing the Bayesian Information Criterion (BIC).
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>alpha_estimate</code>	Posterior estimates of alpha parameter..
<code>gamma_estimate</code>	Posterior estimates of gamma parameter.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>alpha</code>	Posterior samples of the alpha parameter.
<code>gamma</code>	Posterior samples of the gamma parameter.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>accept_beta</code>	Acceptance ratio for the beta parameter.
<code>accept_theta</code>	Acceptance ratio for the theta parameter.
<code>accept_z</code>	Acceptance ratio for the z parameter.
<code>accept_w</code>	Acceptance ratio for the w parameter.
<code>accept_alpha</code>	Acceptance ratio for the alpha parameter.
<code>accept_gamma</code>	Acceptance ratio for the gamma parameter.
<code>...</code>	Additional return values for various settings. Refer to the functions in the Details.

**Note**

If both `spikenslab` and `fixed_gamma` are set TRUE, it returns error because both are related to `gamma`.

## See Also

The 2PL LSIRM for binary item response data as following:

[lsirm2pl\\_o](#), [lsirm2pl\\_fixed\\_gamma](#), [lsirm2pl\\_mar](#), [lsirm2pl\\_mcar](#), [lsirm2pl\\_fixed\\_gamma\\_mar](#), [lsirm2pl\\_fixed\\_gamma\\_mcar](#), [lsirm2pl\\_ss](#), [lsirm2pl\\_mar\\_ss](#), and [lsirm2pl\\_mcar\\_ss](#)

The 2PL LSIRM for continuous item response data as following:

[lsirm2pl\\_normal\\_o](#), [lsirm2pl\\_normal\\_fixed\\_gamma](#), [lsirm2pl\\_normal\\_mar](#), [lsirm2pl\\_normal\\_mcar](#), [lsirm1pl\\_norm](#), [lsirm2pl\\_normal\\_fixed\\_gamma\\_mcar](#), [lsirm2pl\\_normal\\_ss](#), [lsirm2pl\\_normal\\_mar\\_ss](#), [lsirm2pl\\_normal\\_mcar\\_ss](#)

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)
lsirm_result <- lsirm2pl(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data=lsirm2pl())

# Fit with adaptive MCMC
lsirm_result <- lsirm2pl(data, adapt = list(use_adapt = TRUE))
```

---

lsirm2pl\_fixed\_gamma 2PL LSIRM fixing gamma to 1.

---

## Description

[lsirm2pl\\_fixed\\_gamma](#) is used to fit 2PL LSIRM fixing gamma to 1. [lsirm2pl\\_fixed\\_gamma](#) factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm2pl_fixed_gamma(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
```

```

  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.

verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_fixed_gamma` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \alpha_i, \beta_i, z_j, w_i)) = \theta_j * \alpha_i + \beta_i - \|z_j - w_i\|$$

## Value

`lsirm2pl_fixed_gamma` returns an object of list containing the following components:

`lsirm1pl_fixed_gamma` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
accept_beta	Acceptance ratio for the beta parameter.

```

accept_theta    Acceptance ratio for the theta parameter.
accept_z        Acceptance ratio for the z parameter.
accept_w        Acceptance ratio for the w parameter.
alpha_estimate  Posterior estimates of the alpha parameter.
alpha           Posterior estimates of the alpha parameter.
accept_alpha    Acceptance ratio for the alpha parameter.

```

### Examples

```

# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

lsirm_result <- lsirm2pl_fixed_gamma(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = FALSE, fixed_gamma = TRUE))

```

---

lsirm2pl\_fixed\_gamma\_mar

*2PL LSIRM fixing gamma to 1 for missing at random data.*

---

### Description

`lsirm2pl_fixed_gamma_mar` is used to fit 2PL LSIRM fixing gamma to 1 in incomplete data assumed to be missing at random. `lsirm2pl_fixed_gamma_mar` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while considering the missing element under the assumption of missing at random. Unlike 1pl model, 2pl model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

### Usage

```

lsirm2pl_fixed_gamma_mar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_z = 0.5,
  jump_w = 0.5,

```

```

  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE,
  adapt = NULL
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
missing.val	Numeric; A number to replace missing values. Default is 99.

verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.
adapt	List; optional adaptive MCMC control. If not NULL, proposal SDs are adapted during burn-in only and held fixed afterward.

## Details

`lsirm2pl_fixed_gamma_mar` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \alpha_i, \beta_i, z_j, w_i)) = \theta_j * \alpha_i + \beta_i - \|z_j - w_i\|$$

Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References.

## Value

`lsirm2pl_fixed_gamma_mar` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
imp_estimate	Probability of imputing a missing value with 1.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.

w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
imp	Imputation for missing Values using posterior samples.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
alpha_estimate	Posterior estimates of the alpha parameter.
alpha	Posterior estimates of the alpha parameter.
accept_alpha	Acceptance ratio for the alpha parameter.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm2pl_fixed_gamma_mar(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = FALSE, fixed_gamma = TRUE,
                                         missing_data = "mar"))
```

## Description

`lsirm2pl_fixed_gamma_mcar` is used to fit 2PL LSIRM fixing gamma to 1 in incomplete data assumed to be missing completely at random. `lsirm2pl_fixed_gamma_mcar` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while ignoring the missing element under the assumption of missing completely at random. Unlike 1pl model, 2pl model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm2pl_fixed_gamma_mcar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE,
  adapt = NULL
)
```

## Arguments

<code>data</code>	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
<code>ndim</code>	Integer; the dimension of the latent space. Default is 2.
<code>niter</code>	Integer; the total number of MCMC iterations to run. Default is 15000.
<code>nburn</code>	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.

nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
missing.val	Numeric; A number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.
adapt	List; optional adaptive MCMC control. If not NULL, proposal SDs are adapted during burn-in only and held fixed afterward.

## Details

`lsirm2pl_fixed_gamma_mcar` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \alpha_i, \beta_i, z_j, w_i)) = \theta_j * \alpha_i + \beta_i - \|z_j - w_i\|$$

Under the assumption of missing completely at random, the model ignores the missing element in doing inference. For the details of missing completely at random assumption and data augmentation, see References.

**Value**

`lsirm2pl_fixed_gamma_mar` returns an object of list containing the following components:

<code>data</code>	Data frame or matrix containing the variables in the model.
<code>missing.val</code>	A number to replace missing values.
<code>bic</code>	Numeric value with the corresponding BIC.
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>z_raw</code>	Posterior samples of the z parameter without procrustes matching.
<code>w_raw</code>	Posterior samples of the w parameter without procrustes matching.
<code>accept_beta</code>	Acceptance ratio for the beta parameter.
<code>accept_theta</code>	Acceptance ratio for the theta parameter.
<code>accept_z</code>	Acceptance ratio for the z parameter.
<code>accept_w</code>	Acceptance ratio for the w parameter.
<code>alpha_estimate</code>	Posterior estimates of the alpha parameter.
<code>alpha</code>	Posterior estimates of the alpha parameter.
<code>accept_alpha</code>	Acceptance ratio for the alpha parameter.

**References**

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

```

# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm2pl_fixed_gamma_mcar(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = FALSE, fixed_gamma = TRUE,
                                         missing_data = "mcar"))

```

---

lsirm2pl\_mar

*2PL LSIRM for missing at random data.*

---

## Description

`lsirm2pl_mar` is used to fit 2PL LSIRM in incomplete data assumed to be missing at random. `lsirm2pl_mar` factorizes item response matrix into column-wise item effect, row-wise respondent effect in a latent space, while considering the missing element under the assumption of missing at random. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```

lsirm2pl_mar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,

```

```

  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.

missing.val	Numeric; A number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_mar` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \alpha_i, \beta_i, \gamma, z_j, w_i)) = \theta_j * \alpha_i + \beta_i - \gamma ||z_j - w_i||$$

Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References.

## Value

`lsirm2pl_mar` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
imp_estimate	Probability of imputing a missing value with 1.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
gamma	Posterior samples of the gamma parameter.
theta_sd	Posterior samples of the standard deviation of theta.

<code>z</code>	Posterior samples of the $z$ parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the $w$ parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>z_raw</code>	Posterior samples of the $z$ parameter without procrustes matching.
<code>w_raw</code>	Posterior samples of the $w$ parameter without procrustes matching.
<code>imp</code>	Imputation for missing Values using posterior samples.
<code>accept_beta</code>	Acceptance ratio for the $\beta$ parameter.
<code>accept_theta</code>	Acceptance ratio for the $\theta$ parameter.
<code>accept_z</code>	Acceptance ratio for the $z$ parameter.
<code>accept_w</code>	Acceptance ratio for the $w$ parameter.
<code>accept_gamma</code>	Acceptance ratio for the $\gamma$ parameter.
<code>alpha_estimate</code>	Posterior estimates of the $\alpha$ parameter.
<code>alpha</code>	Posterior estimates of the $\alpha$ parameter.
<code>accept_alpha</code>	Acceptance ratio for the $\alpha$ parameter.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

---

**lsirm2pl\_mar\_ss***2PL LSIRM with model selection approach for missing at random data.*

---

## Description

**lsirm2pl\_mar\_ss** is used to fit 2PL LSIRM based on spike-and-slab priors in incomplete data assumed to be missing at random. **lsirm2pl\_mar\_ss** factorizes item response matrix into column-wise item effect, row-wise respondent effect in a latent space, while considering the missing element under the assumption of missing at random. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm2pl_mar_ss(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_xi_a = 1,
  pr_xi_b = 1,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
```

)

**Arguments**

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_spike_mean	Numeric; the mean of spike prior for log gamma. Default is -3.
pr_spike_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_slab_mean	Numeric; the mean of spike prior for log gamma. Default is 0.5.
pr_slab_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_xi_a	Numeric; the first shape parameter of beta prior for latent variable xi. Default is 1.
pr_xi_b	Numeric; the second shape parameter of beta prior for latent variable xi. Default is 1.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.

fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_mar_ss` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \alpha_i, \beta_i, \gamma, z_j, w_i)) = \theta_j * \alpha_i + \beta_i - \gamma ||z_j - w_i||$$

Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References. `lsirm2pl_mar_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

## Value

`lsirm2pl_mar_ss` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
gamma	Posterior samples of the gamma parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.

w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
pi	Posterior samples of phi which is indicator of spike and slab prior. If phi is 1, log gamma follows the slab prior, otherwise follows the spike prior.
imp	Imputation for missing Values using posterior samples.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
pi_estimate	Posterior estimation of phi. inclusion probability of gamma. if estimation of phi is less than 0.5, choose Rasch model with gamma = 0, otherwise latent space model with gamma > 0.
imp_estimate	Probability of imputing a missing value with 1.
alpha_estimate	Posterior estimates of the alpha parameter.
alpha	Posterior estimates of the alpha parameter.
accept_alpha	Acceptance ratio for the alpha parameter.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons. Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: Frequentist and Bayesian strategies. *The Annals of Statistics*, 33(2), 730-773.

## Examples

---

**lsirm2pl\_mcar***2PL LSIRM for missing completely at random data.*

---

## Description

`lsirm2pl_mcar` is used to fit 2PL LSIRM in incomplete data assumed to be missing completely at random. `lsirm2pl_mcar` factorizes item response matrix into column-wise item effect, row-wise respondent effect in a latent space, while ignoring the missing element under the assumption of missing completely at random. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm2pl_mcar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)
```

## Arguments

<code>data</code>	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding
-------------------	---

	item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
missing.val	Numeric; A number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_mcar` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \alpha_i, \beta_i, \gamma, z_j, w_i)) = \theta_j * \alpha_i + \beta_i - \gamma ||z_j - w_i||$$

Under the assumption of missing completely at random, the model ignores the missing element in doing inference. For the details of missing completely at random assumption and data augmentation, see References.

**Value**

`lsirm2pl_mar` returns an object of list containing the following components:

<code>data</code>	A data frame or matrix containing the variables used in the model.
<code>missing.val</code>	A number to replace missing values.
<code>bic</code>	Numeric value with the corresponding BIC.
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>gamma_estimate</code>	Posterior estimates of gamma parameter.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>gamma</code>	Posterior samples of the gamma parameter.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>z_raw</code>	Posterior samples of the z parameter without procrustes matching.
<code>w_raw</code>	Posterior samples of the w parameter without procrustes matching.
<code>accept_beta</code>	Acceptance ratio for the beta parameter.
<code>accept_theta</code>	Acceptance ratio for the theta parameter.
<code>accept_z</code>	Acceptance ratio for the z parameter.
<code>accept_w</code>	Acceptance ratio for the w parameter.
<code>accept_gamma</code>	Acceptance ratio for the gamma parameter.
<code>alpha_estimate</code>	Posterior estimates of the alpha parameter.
<code>alpha</code>	Posterior estimates of the alpha parameter.
<code>accept_alpha</code>	Acceptance ratio for the alpha parameter.

**References**

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

```

# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm2pl_mcar(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = FALSE, fixed_gamma = FALSE,
                                         missing_data = "mcar"))

```

---

lsirm2pl\_mcar\_ss

*2PL LSIRM with model selection approach for missing completely at random data.*

---

## Description

[lsirm2pl\\_mar\\_ss](#) is used to fit 2PL LSIRM based on spike-and-slab priors in incomplete data assumed to be missing completely at random. [lsirm2pl\\_mar\\_ss](#) factorizes item response matrix into column-wise item effect, row-wise respondent effect in a latent space, while ignoring the missing element under the assumption of missing completely at random. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```

lsirm2pl_mcar_ss(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,

```

```

  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_xi_a = 1,
  pr_xi_b = 1,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_spike_mean	Numeric; the mean of spike prior for log gamma. Default is -3.
pr_spike_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_slab_mean	Numeric; the mean of spike prior for log gamma. Default is 0.5.

pr_slab_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_xi_a	Numeric; the first shape parameter of beta prior for latent variable xi. Default is 1.
pr_xi_b	Numeric; the second shape parameter of beta prior for latent variable xi. Default is 1.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_mcar_ss` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \alpha_i, \beta_i, \gamma, z_j, w_i)) = \theta_j * \alpha_i + \beta_i - \gamma ||z_j - w_i||$$

Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References. `lsirm2pl_mcar_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

## Value

`lsirm2pl_mcar_ss` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.

```

theta_estimate Posterior estimates of the theta parameter.
sigma_theta_estimate
               Posterior estimates of the standard deviation of theta.
gamma_estimate posterior estimates of gamma parameter.
z_estimate Posterior estimates of the z parameter.
w_estimate Posterior estimates of the w parameter.
beta Posterior samples of the beta parameter.
theta Posterior samples of the theta parameter.
gamma Posterior samples of the gamma parameter.
theta_sd Posterior samples of the standard deviation of theta.
z Posterior samples of the z parameter, represented as a 3-dimensional matrix
  where the last axis denotes the dimension of the latent space.
w Posterior samples of the w parameter, represented as a 3-dimensional matrix
  where the last axis denotes the dimension of the latent space.
z_raw Posterior samples of the z parameter without procrustes matching.
w_raw Posterior samples of the w parameter without procrustes matching.
pi Posterior samples of phi which is indicator of spike and slab prior. If phi is 1,
  log gamma follows the slab prior, otherwise follows the spike prior.
accept_beta Acceptance ratio for the beta parameter.
accept_theta Acceptance ratio for the theta parameter.
accept_z Acceptance ratio for the z parameter.
accept_w Acceptance ratio for the w parameter.
accept_gamma Acceptance ratio for the gamma parameter.
alpha_estimate Posterior estimates of the alpha parameter.
alpha Posterior estimates of the alpha parameter.
accept_alpha Acceptance ratio for the alpha parameter.

```

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons. Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: Frequentist and Bayesian strategies. *The Annals of Statistics*, 33(2), 730-773.

## Examples

```

# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

```

```
lsirm_result <- lsirm2pl_mcar_ss(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = TRUE, fixed_gamma = FALSE,
                                         missing_data = "mcar"))
```

---

lsirm2pl\_normal\_fixed\_gamma

*2PL LSIRM fixing gamma to 1 with normal likelihood*

---

## Description

`lsirm2pl_normal_fixed_gamma` is used to fit 2PL LSIRM with gamma fixed to 1 for continuous variable. `lsirm2pl_normal_fixed_gamma` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm2pl_normal_fixed_gamma(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)
```

**Arguments**

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_normal_fixed_gamma` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$

## Value

`lsirm2pl_normal_fixed_gamma` returns an object of list containing the following components:

<code>data</code>	A data frame or matrix containing the variables used in the model.
<code>bic</code>	A numeric value representing the Bayesian Information Criterion (BIC).
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>z_raw</code>	Posterior samples of the z parameter without procrustes matching.
<code>w_raw</code>	Posterior samples of the w parameter without procrustes matching.
<code>accept_beta</code>	Acceptance ratio for the beta parameter.
<code>accept_theta</code>	Acceptance ratio for the theta parameter.
<code>accept_z</code>	Acceptance ratio for the z parameter.
<code>accept_w</code>	Acceptance ratio for the w parameter.
<code>sigma_estimate</code>	Posterior estimates of the standard deviation.
<code>sigma</code>	Posterior samples of the standard deviation.
<code>alpha_estimate</code>	Posterior estimates of the alpha parameter.
<code>alpha</code>	Posterior estimates of the alpha parameter.
<code>accept_alpha</code>	Acceptance ratio for the alpha parameter.

### Examples

```
# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

lsrm_result <- lsirm2pl_normal_fixed_gamma(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = FALSE, fixed_gamma = TRUE))
```

---

lsirm2pl\_normal\_fixed\_gamma\_mar

*2PL LSIRM fixing gamma to 1 with normal likelihood for missing at random data.*

---

### Description

[lsirm2pl\\_normal\\_fixed\\_gamma\\_mar](#) is used to fit 2PL LSIRM with gamma fixed to 1 for continuous variable in incomplete data assumed to be missing at random.

[lsirm2pl\\_normal\\_fixed\\_gamma\\_mar](#) factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while considering the missing element under the assumption of missing at random. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

### Usage

```
lsirm2pl_normal_fixed_gamma_mar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
```

```

  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
missing.val	Numeric; a number to replace missing values. Default is 99.

verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

*lsirm2pl\_normal\_fixed\_gamma\_mar* models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$  Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References.

## Value

*lsirm2pl\_normal\_fixed\_gamma\_mar* returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
imp_estimate	Probability of imputing a missing value with 1.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.

w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
imp	Imputation for missing Values using posterior samples.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
sigma_estimate	Posterior estimates of the standard deviation.
sigma	Posterior samples of the standard deviation.
alpha_estimate	Posterior estimates of the alpha parameter.
alpha	Posterior estimates of the alpha parameter.
accept_alpha	Acceptance ratio for the alpha parameter.

## Examples

```

# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm2pl_normal_fixed_gamma_mar(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = FALSE, fixed_gamma = TRUE,
                                         missing_data = "mar"))

```

---

### lsirm2pl\_normal\_fixed\_gamma\_mcar

*2PL LSIRM fixing gamma to 1 with normal likelihood for missing completely at random data.*

---

## Description

`lsirm2pl_normal_fixed_gamma_mcar` is used to fit 2PL LSIRM with gamma fixed to 1 for continuous variable in incomplete data assumed to be missing completely at random.

`lsirm2pl_normal_fixed_gamma_mcar` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while ignoring

the missing element under the assumption of missing completely at random. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

### Usage

```
lsirm2pl_normal_fixed_gamma_mcar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  missing.val = 99,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)
```

### Arguments

<b>data</b>	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
<b>ndim</b>	Integer; the dimension of the latent space. Default is 2.
<b>niter</b>	Integer; the total number of MCMC iterations to run. Default is 15000.
<b>nburn</b>	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
<b>nthin</b>	Integer; the number of MCMC iterations to thin. Default is 5.
<b>nprint</b>	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.

jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_normal_fixed_gamma_mcar` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$  Under the assumption of missing completely at random, the model ignores the missing element in doing inference. For the details of missing completely at random assumption and data augmentation, see References.

**Value**

*lsirm2pl\_normal\_fixed\_gamma\_mcar* returns an object of list containing the following components:

<b>data</b>	Data frame or matrix containing the variables in the model.
<b>missing.val</b>	A number to replace missing values.
<b>bic</b>	Numeric value with the corresponding BIC.
<b>mcmc_inf</b>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<b>map_inf</b>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<b>beta_estimate</b>	Posterior estimates of the beta parameter.
<b>theta_estimate</b>	Posterior estimates of the theta parameter.
<b>sigma_theta_estimate</b>	Posterior estimates of the standard deviation of theta.
<b>z_estimate</b>	Posterior estimates of the z parameter.
<b>w_estimate</b>	Posterior estimates of the w parameter.
<b>beta</b>	Posterior samples of the beta parameter.
<b>theta</b>	Posterior samples of the theta parameter.
<b>theta_sd</b>	Posterior samples of the standard deviation of theta.
<b>z</b>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<b>w</b>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<b>z_raw</b>	Posterior samples of the z parameter without procrustes matching.
<b>w_raw</b>	Posterior samples of the w parameter without procrustes matching.
<b>accept_beta</b>	Acceptance ratio for the beta parameter.
<b>accept_theta</b>	Acceptance ratio for the theta parameter.
<b>accept_z</b>	Acceptance ratio for the z parameter.
<b>accept_w</b>	Acceptance ratio for the w parameter.
<b>sigma_estimate</b>	Posterior estimates of the standard deviation.
<b>sigma</b>	Posterior samples of the standard deviation.
<b>alpha_estimate</b>	Posterior estimates of the alpha parameter.
<b>alpha</b>	Posterior estimates of the alpha parameter.
<b>accept_alpha</b>	Acceptance ratio for the alpha parameter.

## Examples

```

# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm2pl_normal_fixed_gamma_mcar(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = FALSE, fixed_gamma = TRUE,
                                         missing_data = "mcar"))

```

---

lsirm2pl\_normal\_mar    2PL LSIRM with normal likelihood and missing at random data.

---

## Description

`lsirm2pl_normal_mar` is used to fit 2PL LSIRM for continuous variable in incomplete data assumed to be missing at random. `lsirm2pl_normal_mar` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while considering the missing element under the assumption of missing at random. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```

lsirm2pl_normal_mar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,

```

```

pr_sd_theta = 1,
pr_mean_gamma = 0.5,
pr_sd_gamma = 1,
pr_mean_alpha = 0.5,
pr_sd_alpha = 1,
pr_a_theta = 0.001,
pr_b_theta = 0.001,
pr_a_eps = 0.001,
pr_b_eps = 0.001,
missing.val = 99,
verbose = FALSE,
fix_theta_sd = FALSE,
fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.

pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_normal_mar` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$Y_{j,i} = \alpha_i \theta_j + \beta_i - \gamma ||z_j - w_i|| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$  Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References.

## Value

`lsirm2pl_normal_mar` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.

imp_estimate	Posterior mean imputation for each missing cell.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
gamma	Posterior samples of the gamma parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
imp	Imputation for missing Values using posterior samples.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
sigma_estimate	Posterior estimates of the standard deviation.
sigma	Posterior samples of the standard deviation.
alpha_estimate	Posterior estimates of the alpha parameter.
alpha	Posterior samples of the alpha parameter.
accept_alpha	Acceptance ratio for the alpha parameter.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

---

lsirm2pl\_normal\_mar\_ss

*2pl LSIRM with normal likelihood and model selection approach for missing at random data.*

---

## Description

`lsirm2pl_normal_mar_ss` is used to fit 2pl LSIRM with model selection approach based on spike-and-slab priors for continuous variable in incomplete data assumed to be missing at random. [lsirm2pl\\_normal\\_mar\\_ss](#) factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while considering the missing element under the assumption of missing at random. Unlike 1pl model, 2pl model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm2pl_normal_mar_ss(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_xi_a = 0.001,
  pr_xi_b = 0.001,
```

```

missing.val = 99,
verbose = FALSE,
fix_theta_sd = FALSE,
fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_spike_mean	Numeric; the mean of spike prior for log gamma. Default is -3.
pr_spike_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_slab_mean	Numeric; the mean of spike prior for log gamma. Default is 0.5.
pr_slab_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.

pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_xi_a	Numeric; the first shape parameter of beta prior for latent variable xi. Default is 1.
pr_xi_b	Numeric; the second shape parameter of beta prior for latent variable xi. Default is 1.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_normal_mar_ss` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$  Under the assumption of missing at random, the model takes the missing element into consideration in the sampling procedure. For the details of missing at random assumption and data augmentation, see References. `lsirm2pl_normal_mcar_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

## Value

`lsirm2pl_normal_mar_ss` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	posterior estimates of gamma parameter.

z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
gamma	Posterior samples of the gamma parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
pi	Posterior samples of phi which is indicator of spike and slab prior. If phi is 1, log gamma follows the slab prior, otherwise follows the spike prior.
imp	Imputation for missing Values using posterior samples.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
pi_estimate	Posterior estimation of phi. inclusion probability of gamma. if estimation of phi is less than 0.5, choose Rasch model with gamma = 0, otherwise latent space model with gamma > 0.
imp_estimate	Probability of imputing a missing value with 1.
sigma_estimate	Posterior estimates of the standard deviation.
sigma	Posterior samples of the standard deviation.
alpha_estimate	Posterior estimates of the alpha parameter.
alpha	Posterior estimates of the alpha parameter.
accept_alpha	Acceptance ratio for the alpha parameter.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: Frequentist and Bayesian strategies. *The Annals of Statistics*, 33(2), 730-773.

## Examples

```

# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat      <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm2pl_normal_mar_ss(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = TRUE, fixed_gamma = FALSE,
                                         missing_data = "mar"))

```

---

**lsirm2pl\_normal\_mcar** 2PL LSIRM with normal likelihood and missing completely at random data.

---

## Description

**lsirm2pl\_normal\_mcar** is used to fit 2PL LSIRM for continuous variable in incomplete data assumed to be missing completely at random. **lsirm2pl\_normal\_mcar** factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while ignoring the missing element under the assumption of missing completely at random. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```

lsirm2pl_normal_mcar(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,

```

```

pr_sd_theta = 1,
pr_mean_gamma = 0.5,
pr_sd_gamma = 1,
pr_mean_alpha = 0.5,
pr_sd_alpha = 1,
pr_a_theta = 0.001,
pr_b_theta = 0.001,
pr_a_eps = 0.001,
pr_b_eps = 0.001,
missing.val = 99,
verbose = FALSE,
fix_theta_sd = FALSE,
fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.

pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_normal_mcar` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$  Under the assumption of missing completely at random, the model ignores the missing element in doing inference. For the details of missing completely at random assumption and data augmentation, see References.

## Value

`lsirm2pl_normal_mcar` returns an object of list containing the following components:

data	A data frame or matrix containing the variables used in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	Posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.

beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
gamma	Posterior samples of the gamma parameter.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
sigma_estimate	Posterior estimates of the standard deviation.
sigma	Posterior samples of the standard deviation.
alpha_estimate	Posterior estimates of the alpha parameter.
alpha	Posterior estimates of the alpha parameter.
accept_alpha	Acceptance ratio for the alpha parameter.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons.

## Examples

---

lsirm2pl\_normal\_mcar\_ss

*2PL LSIRM with normal likelihood and model selection approach for missing completely at random data.*

---

## Description

[lsirm2pl\\_normal\\_mcar\\_ss](#) is used to fit 2PL LSIRM with model selection approach based on spike-and-slab priors for continuous variable in incomplete data assumed to be missing completely at random. [lsirm2pl\\_normal\\_mcar\\_ss](#) factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space, while ignoring the missing element under the assumption of missing completely at random. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm2pl_normal_mcar_ss(  
  data,  
  ndim = 2,  
  niter = 15000,  
  nburn = 2500,  
  nthin = 5,  
  nprint = 500,  
  jump_beta = 0.4,  
  jump_theta = 1,  
  jump_alpha = 1,  
  jump_gamma = 1,  
  jump_z = 0.5,  
  jump_w = 0.5,  
  pr_mean_beta = 0,  
  pr_sd_beta = 1,  
  pr_mean_theta = 0,  
  pr_sd_theta = 1,  
  pr_spike_mean = -3,  
  pr_spike_sd = 1,  
  pr_slab_mean = 0.5,  
  pr_slab_sd = 1,  
  pr_mean_alpha = 0.5,  
  pr_sd_alpha = 1,  
  pr_a_eps = 0.001,  
  pr_b_eps = 0.001,  
  pr_a_theta = 0.001,  
  pr_b_theta = 0.001,  
  pr_xi_a = 0.001,  
  pr_xi_b = 0.001,
```

```

missing.val = 99,
verbose = FALSE,
fix_theta_sd = FALSE,
fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_spike_mean	Numeric; the mean of spike prior for log gamma. Default is -3.
pr_spike_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_slab_mean	Numeric; the mean of spike prior for log gamma. Default is 0.5.
pr_slab_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.

pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_xi_a	Numeric; the first shape parameter of beta prior for latent variable xi. Default is 1.
pr_xi_b	Numeric; the second shape parameter of beta prior for latent variable xi. Default is 1.
missing.val	Numeric; a number to replace missing values. Default is 99.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_normal_mcar_ss` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$  Under the assumption of missing completely at random, the model ignores the missing element in doing inference. For the details of missing completely at random assumption and data augmentation, see References. `lsirm2pl_normal_mcar_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

## Value

`lsirm2pl_normal_mcar_ss` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
missing.val	A number to replace missing values.
bic	Numeric value with the corresponding BIC.
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	posterior estimates of gamma parameter.

z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
gamma	Posterior samples of the gamma parameter.
theta_sd	Posterior samples of the standard deviation of theta.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
pi	Posterior samples of phi which is indicator of spike and slab prior. If phi is 1, log gamma follows the slab prior, otherwise follows the spike prior.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
sigma_estimate	Posterior estimates of the standard deviation.
sigma	Posterior samples of the standard deviation.
alpha_estimate	Posterior estimates of the alpha parameter.
alpha	Posterior estimates of the alpha parameter.
accept_alpha	Acceptance ratio for the alpha parameter.

## References

Little, R. J., & Rubin, D. B. (2019). Statistical analysis with missing data (Vol. 793). John Wiley & Sons. Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: Frequentist and Bayesian strategies. *The Annals of Statistics*, 33(2), 730-773.

## Examples

```
# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

# generate example missing indicator matrix
missing_mat    <- matrix(rbinom(500, size = 1, prob = 0.2), ncol=10, nrow=50)

# make missing value with missing indicator matrix
data[missing_mat==1] <- 99

lsirm_result <- lsirm2pl_normal_mcar_ss(data)
```

```
# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = TRUE, fixed_gamma = FALSE,
                                         missing_data = "mcar"))
```

---

lsirm2pl\_normal\_o      *2PL LSIRM with normal likelihood*

---

### Description

`lsirm2pl_normal_o` is used to fit 2PL LSIRM for continuous variable. `lsirm2pl_normal_o` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

### Usage

```
lsirm2pl_normal_o(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)
```

### Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_a_eps	Numeric; the shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; the scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_normal_o` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$

## Value

`lsirm2pl_normal_o` returns an object of list containing the following components:

<code>data</code>	Data frame or matrix containing the variables used in the model.
<code>bic</code>	A numeric value representing the Bayesian Information Criterion (BIC).
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>gamma_estimate</code>	Posterior estimates of gamma parameter.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>gamma</code>	Posterior samples of the gamma parameter.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>w</code>	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
<code>z_raw</code>	Posterior samples of the z parameter without procrustes matching.
<code>w_raw</code>	Posterior samples of the w parameter without procrustes matching.
<code>accept_beta</code>	Acceptance ratio for the beta parameter.
<code>accept_theta</code>	Acceptance ratio for the theta parameter.
<code>accept_z</code>	Acceptance ratio for the z parameter.
<code>accept_w</code>	Acceptance ratio for the w parameter.
<code>accept_gamma</code>	Acceptance ratio for the gamma parameter.

```

sigma_estimate Posterior estimates of the standard deviation.
sigma          Posterior samples of the standard deviation.
alpha_estimate Posterior estimates of the alpha parameter.
alpha          Posterior estimates of the alpha parameter.
accept_alpha   Acceptance ratio for the alpha parameter.

```

## Examples

```

# generate example (continuous) item response matrix
data <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)
lsirm_result <- lsirm2pl_normal_o(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = FALSE, fixed_gamma = FALSE))

```

---

**lsirm2pl\_normal\_ss**

*2PL LSIRM with normal likelihood and model selection approach.*

---

## Description

`lsirm2pl_normal_ss` is used to fit 2PL LSIRM for continuous variable with model selection approach. `lsirm2pl_normal_ss` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```

lsirm2pl_normal_ss(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,

```

```

  pr_sd_theta = 1,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_eps = 0.001,
  pr_b_eps = 0.001,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_xi_a = 0.001,
  pr_xi_b = 0.001,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_spike_mean	Numeric; mean of spike prior for log gamma default value is -3.
pr_spike_sd	Numeric; standard deviation of spike prior for log gamma default value is 1.
pr_slab_mean	Numeric; mean of spike prior for log gamma default value is 0.5.

pr_slab_sd	Numeric; standard deviation of spike prior for log gamma default value is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_eps	Numeric; shape parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_b_eps	Numeric; scale parameter of inverse gamma prior for variance of data likelihood. Default is 0.001.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_xi_a	Numeric; first shape parameter of beta prior for latent variable xi. Default is 1.
pr_xi_b	Numeric; second shape parameter of beta prior for latent variable xi. Default is 1.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_normal_ss` models the continuous value of response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$Y_{j,i} = \theta_j + \beta_i - \gamma \|z_j - w_i\| + e_{j,i}$$

where the error  $e_{j,i} \sim N(0, \sigma^2)$ . `lsrm2pl_normal_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

## Value

`lsirm2pl_normal_ss` returns an object of list containing the following components:

data	Data frame or matrix containing the variables in the model.
bic	Numeric value with the corresponding BIC.
mcmc_inf	number of mcmc iteration, burn-in periods, and thinning intervals.
map_inf	value of log maximum a posterior and iteration number which have log maximum a posterior.
beta_estimate	posterior estimation of beta.
theta_estimate	posterior estimation of theta.

sigma_theta_estimate	posterior estimation of standard deviation of theta.
sigma_estimate	posterior estimation of standard deviation.
gamma_estimate	posterior estimation of gamma.
z_estimate	posterior estimation of z.
w_estimate	posterior estimation of w.
pi_estimate	posterior estimation of phi. inclusion probability of gamma. if estimation of phi is less than 0.5, choose Rasch model with gamma = 0, otherwise latent space model with gamma > 0.
beta	posterior samples of beta.
theta	posterior samples of theta.
theta_sd	posterior samples of standard deviation of theta.
sigma	posterior samples of standard deviation.
gamma	posterior samples of gamma.
z	posterior samples of z. The output is 3-dimensional matrix with last axis represent the dimension of latent space.
w	posterior samples of w. The output is 3-dimensional matrix with last axis represent the dimension of latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
pi	posterior samples of phi which is indicator of spike and slab prior. If phi is 1, log gamma follows the slab prior, otherwise follows the spike prior.
accept_beta	accept ratio of beta.
accept_theta	accept ratio of theta.
accept_w	accept ratio of w.
accept_z	accept ratio of z.
accept_gamma	accept ratio of gamma.
alpha_estimate	Posterior estimates of the alpha parameter.
alpha	Posterior estimates of the alpha parameter.
accept_alpha	Acceptance ratio for the alpha parameter.

## References

Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: frequentist and Bayesian strategies. *The Annals of Statistics*, 33(2), 730-773.

## Examples

```
# generate example (continuous) item response matrix
data      <- matrix(rnorm(500, mean = 0, sd = 1), ncol=10, nrow=50)

lsirm_result <- lsirm2pl_normal_ss(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = TRUE, fixed_gamma = FALSE))
```

---

**lsirm2pl\_o****2PL LSIRM.**

---

**Description**

**lsirm2pl\_o** is used to fit 2PL LSIRM. **lsirm2pl\_o** factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

**Usage**

```
lsirm2pl_o(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE,
  adapt = NULL
)
```

**Arguments**

<b>data</b>	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
-------------	---

ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the gamma proposal density. Default is 0.2.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.
pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_mean_gamma	Numeric; mean of log normal prior for gamma. Default is 0.5.
pr_sd_gamma	Numeric; standard deviation of log normal prior for gamma. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, accept_alpha, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>• use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>• adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> </ul>

- **adapt\_rate**: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt\_rate / iteration^decay\_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.
- **decay\_rate**: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.
- **target\_accept**: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma, alpha). Default is 0.44.
- **target\_accept\_zw**: Numeric; target acceptance rate for multi-dimensional latent positions z and w. Default is 0.234.
- **target\_accept\_beta/theta/alpha/gamma**: Numeric; (optional) parameter-specific target acceptance rates to override target\_accept.

## Details

`lsirm2pl_o` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \alpha_i, \beta_i, \gamma, z_j, w_i)) = \theta_j * \alpha_i + \beta_i - \gamma ||z_j - w_i||$$

## Value

`lsirm2pl_o` returns an object of list containing the following components:

<code>data</code>	Data frame or matrix containing the variables used in the model.
<code>bic</code>	A numeric value representing the Bayesian Information Criterion (BIC).
<code>mcmc_inf</code>	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
<code>map_inf</code>	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.
<code>beta_estimate</code>	Posterior estimates of the beta parameter.
<code>theta_estimate</code>	Posterior estimates of the theta parameter.
<code>sigma_theta_estimate</code>	Posterior estimates of the standard deviation of theta.
<code>gamma_estimate</code>	Posterior estimates of gamma parameter.
<code>z_estimate</code>	Posterior estimates of the z parameter.
<code>w_estimate</code>	Posterior estimates of the w parameter.
<code>beta</code>	Posterior samples of the beta parameter.
<code>theta</code>	Posterior samples of the theta parameter.
<code>theta_sd</code>	Posterior samples of the standard deviation of theta.
<code>gamma</code>	Posterior samples of the gamma parameter.
<code>z</code>	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.

w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
alpha_estimate	Posterior estimates of the alpha parameter.
alpha	Posterior estimates of the alpha parameter.
accept_alpha	Acceptance ratio for the alpha parameter.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

lsirm_result <- lsirm2pl_o(data)

# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = FALSE, fixed_gamma = FALSE))
```

---

lsirm2pl\_ss

*2PL LSIRM with model selection approach.*

---

## Description

`lsirm2pl_ss` is used to fit 2PL LSIRM with model selection approach based on spike-and-slab priors. `lsirm2pl_ss` factorizes item response matrix into column-wise item effect, row-wise respondent effect and further embeds interaction effect in a latent space. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect. The resulting latent space provides an interaction map that represents interactions between respondents and items.

## Usage

```
lsirm2pl_ss(
  data,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
```

```

jump_beta = 0.4,
jump_theta = 1,
jump_alpha = 1,
jump_gamma = 1,
jump_z = 0.5,
jump_w = 0.5,
pr_mean_beta = 0,
pr_sd_beta = 1,
pr_mean_theta = 0,
pr_sd_theta = 1,
pr_spike_mean = -3,
pr_spike_sd = 1,
pr_slab_mean = 0.5,
pr_slab_sd = 1,
pr_mean_alpha = 0.5,
pr_sd_alpha = 1,
pr_a_theta = 0.001,
pr_b_theta = 0.001,
pr_xi_a = 1,
pr_xi_b = 1,
verbose = FALSE,
fix_theta_sd = FALSE,
fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; a binary or continuous item response matrix for analysis. Each row represents a respondent, and each column contains responses to the corresponding item.
ndim	Integer; the dimension of the latent space. Default is 2.
niter	Integer; the total number of MCMC iterations to run. Default is 15000.
nburn	Integer; the number of initial MCMC iterations to discard as burn-in. Default is 2500.
nthin	Integer; the number of MCMC iterations to thin. Default is 5.
nprint	Integer; the interval at which MCMC samples are displayed during execution. Default is 500.
jump_beta	Numeric; the jumping rule for the beta proposal density. Default is 0.4.
jump_theta	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_alpha	Numeric; the jumping rule for the alpha proposal density. Default is 1.
jump_gamma	Numeric; the jumping rule for the theta proposal density. Default is 1.
jump_z	Numeric; the jumping rule for the z proposal density. Default is 0.5.
jump_w	Numeric; the jumping rule for the w proposal density. Default is 0.5.
pr_mean_beta	Numeric; the mean of the normal prior for beta. Default is 0.
pr_sd_beta	Numeric; the standard deviation of the normal prior for beta. Default is 1.

pr_mean_theta	Numeric; the mean of the normal prior for theta. Default is 0.
pr_sd_theta	Numeric; the standard deviation of the normal prior for theta. Default is 1.
pr_spike_mean	Numeric; the mean of spike prior for log gamma. Default is -3.
pr_spike_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_slab_mean	Numeric; the mean of spike prior for log gamma. Default is 0.5.
pr_slab_sd	Numeric; the standard deviation of spike prior for log gamma. Default is 1.
pr_mean_alpha	Numeric; the mean of the log normal prior for alpha. Default is 0.5.
pr_sd_alpha	Numeric; the standard deviation of the log normal prior for alpha. Default is 1.
pr_a_theta	Numeric; the shape parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_b_theta	Numeric; the scale parameter of the inverse gamma prior for the variance of theta. Default is 0.001.
pr_xi_a	Numeric; the first shape parameter of beta prior for latent variable xi. Default is 1.
pr_xi_b	Numeric; the second shape parameter of beta prior for latent variable xi. Default is 1.
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the theta parameter is fixed. Default is FALSE.
fix_alpha_1	Logical; If TRUE, the first element of the alpha parameter is fixed to 1. Default is TRUE.

## Details

`lsirm2pl_ss` models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$  and the distance between latent position  $w_i$  of item  $i$  and latent position  $z_j$  of respondent  $j$  in the shared metric space, with  $\gamma$  represents the weight of the distance term. For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1|\theta_j, \alpha_i, \beta_i, z_j, w_i)) = \theta_j * \alpha_i + \beta_i - \gamma ||z_j - w_i||$$

`lsirm2pl_ss` model include model selection approach based on spike-and-slab priors for log gamma. For detail of spike-and-slab priors, see References.

## Value

`lsirm2pl_ss` returns an object of list containing the following components:

data	Data frame or matrix containing the variables used in the model.
bic	A numeric value representing the Bayesian Information Criterion (BIC).
mcmc_inf	Details about the number of MCMC iterations, burn-in periods, and thinning intervals.
map_inf	The log maximum a posteriori (MAP) value and the iteration number at which this MAP value occurs.

beta_estimate	Posterior estimates of the beta parameter.
theta_estimate	Posterior estimates of the theta parameter.
sigma_theta_estimate	Posterior estimates of the standard deviation of theta.
gamma_estimate	Posterior estimates of gamma parameter.
z_estimate	Posterior estimates of the z parameter.
w_estimate	Posterior estimates of the w parameter.
beta	Posterior samples of the beta parameter.
theta	Posterior samples of the theta parameter.
theta_sd	Posterior samples of the standard deviation of theta.
gamma	Posterior samples of the gamma parameter.
z	Posterior samples of the z parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
w	Posterior samples of the w parameter, represented as a 3-dimensional matrix where the last axis denotes the dimension of the latent space.
z_raw	Posterior samples of the z parameter without procrustes matching.
w_raw	Posterior samples of the w parameter without procrustes matching.
accept_beta	Acceptance ratio for the beta parameter.
accept_theta	Acceptance ratio for the theta parameter.
accept_z	Acceptance ratio for the z parameter.
accept_w	Acceptance ratio for the w parameter.
accept_gamma	Acceptance ratio for the gamma parameter.
pi_estimate	Posterior estimation of phi. inclusion probability of gamma. if estimation of phi is less than 0.5, choose Rasch model with gamma = 0, otherwise latent space model with gamma > 0.
pi	Posterior samples of phi which is indicator of spike and slab prior. If phi is 1, log gamma follows the slab prior, otherwise follows the spike prior.
alpha_estimate	Posterior estimates of the alpha parameter.
alpha	Posterior estimates of the alpha parameter.
accept_alpha	Acceptance ratio for the alpha parameter.

## References

Ishwaran, H., & Rao, J. S. (2005). Spike and slab variable selection: Frequentist and Bayesian strategies. *The Annals of Statistics*, 33(2), 730-773.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

lsirm_result <- lsirm2pl_ss(data)
```

```
# The code following can achieve the same result.
lsirm_result <- lsirm(data ~ lsirm2pl(spikenslab = TRUE, fixed_gamma = FALSE))
```

---

lsirmgrm

*Fit an ordinal LSIRM with the graded response model*

---

## Description

`lsirmgrm` fits an ordinal latent space item response model for Likert-scale (ordered categorical) responses using the graded response model (GRM). This approach extends the traditional GRM by incorporating a latent space representation of respondent-item interactions, providing a spatial interpretation of response patterns.

The model captures interactions between respondents and items through the distance between latent respondent positions  $z_j$  and item positions  $w_i$  in a shared latent space, allowing for the visualization and interpretation of complex response patterns in Likert-scale assessments.

## Usage

```
lsirmgrm(
  data,
  ncat = NULL,
  missing_data = NA,
  missing.val = 99,
  chains = 1,
  multicore = 1,
  seed = NA,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  fixed_gamma = FALSE,
```

```

spikenslab = FALSE,
pr_spike_mean = -3,
pr_spike_sd = 1,
pr_slab_mean = 0.5,
pr_slab_sd = 1,
pr_xi_a = 1,
pr_xi_b = 1,
adapt = NULL,
verbose = FALSE,
fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either 0:(K-1) or 1:K. Missing values can be NA.
ncat	Integer; number of categories $K$ . If NULL, it is inferred from the observed data.
missing_data	Character; the type of missing data assumed. Options are NA, "mar", or "mcar". If NA and data contains missing values, it is set to "mcar" internally.
missing.val	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
chains	Integer; number of MCMC chains. Default is 1.
multicore	Integer; number of cores for parallel execution when chains > 1. Default is 1.
seed	Integer; RNG seed. Default is NA.
ndim	Integer; latent space dimension. Default is 2.
niter	Integer; total MCMC iterations. Default is 15000.
nburn	Integer; burn-in iterations. Default is 2500.
nthin	Integer; thinning interval. Default is 5.
nprint	Integer; print interval if verbose=TRUE. Default is 500.
jump_beta	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.
jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_gamma	Numeric; proposal SD on log-scale for gamma. Default is 0.2.
jump_z	Numeric; proposal SD for z. Default is 0.5.
jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.
pr_mean_theta	Numeric; prior mean for theta. Default is 0.
pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_mean_gamma	Numeric; log-normal prior mean for gamma. Default is 0.5.

pr_sd_gamma	Numeric; log-normal prior SD for gamma. Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.
pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
fixed_gamma	Logical; if TRUE, fixes $\gamma = 1$ (no sampling). Default is FALSE.
spikenslab	Logical; if TRUE, uses spike-and-slab priors for $\gamma$ . Default is FALSE.
pr_spike_mean	Numeric; prior mean for the spike component (on log-scale). Default is -3.
pr_spike_sd	Numeric; prior SD for the spike component (on log-scale). Default is 1.
pr_slab_mean	Numeric; prior mean for the slab component (on log-scale). Default is 0.5.
pr_slab_sd	Numeric; prior SD for the slab component (on log-scale). Default is 1.
pr_xi_a	Numeric; Beta prior shape a for mixing weight $\xi$ . Default is 1.
pr_xi_b	Numeric; Beta prior shape b for mixing weight $\xi$ . Default is 1.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma). Default is 0.44.</li> <li>target_accept_zw: Numeric; target acceptance rate for latent positions z and w. Default is 0.234.</li> <li>target_accept_beta/theta/gamma: Numeric; (optional) parameter-specific target acceptance rates to override target_accept.</li> </ul>
verbose	Logical; If TRUE, MCMC progress and parameter samples are printed to the console during execution. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the respondent latent positions $\theta$ is fixed at 1 instead of being sampled. Default is FALSE.

## Details

`lsirmgrm` implements the Graded Response Model (GRM) in a latent space framework. Let  $Y_{j,i} \in \{0, \dots, K-1\}$  be the ordered categorical response of respondent  $j$  to item  $i$ . The model is defined via cumulative logits:

$$\Pr(Y_{j,i} \geq k | \theta_j, \beta_{i,k}, \gamma, z_j, w_i) = \text{logit}^{-1}(\theta_j + \beta_{i,k} - \gamma \|z_j - w_i\|)$$

for  $k = 1, \dots, K - 1$ , where  $\beta_{i,k}$  are item-specific thresholds (difficulty levels) that satisfy the ordering constraint  $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$  for identifiability.

Missing data can be handled in two ways:

- "mcar": Missing responses are assumed to be Missing Completely At Random. They are ignored in the likelihood calculation.
- "mar": Missing responses are assumed to be Missing At Random. The model uses data augmentation to impute missing values at each MCMC iteration based on the current parameter estimates.

For models with `spikenslab = TRUE`, a spike-and-slab prior is placed on  $\log(\gamma)$  to perform model selection between a standard Rasch-type model ( $\gamma \approx 0$ ) and a latent space model ( $\gamma > 0$ ).

## Value

An object of class `lsirm`. For multi-chain fits, it returns a list where each element (`chain1`, `chain2`, etc.) is a single-chain fit of class `lsirm`.

If `missing_data = "mar"`, the returned object additionally contains `imp` (MCMC draws of imputed responses for each missing cell) and `imp_estimate` (posterior mean imputation for each missing cell).

## References

De Carolis, L., Kang, I., & Jeon, M. (2025). A Latent Space Graded Response Model for Likert-Scale Psychological Assessments. *Multivariate Behavioral Research*. doi:10.1080/00273171.2025.2605678

## Examples

```
# generate example ordinal item response matrix
set.seed(123)
nsample <- 50
nitem <- 10
data <- matrix(sample(1:5, nsample * nitem, replace = TRUE), nrow = nsample)

# Fit GRM LSIRM using direct function call
fit <- lsirmgrm(data, niter = 1000, nburn = 500, nthin = 2)
summary(fit)

# Realistic example with BFPT data
data(BFPT)
dat <- BFPT
# Handle outliers or special codes
dat[(dat == 0) | (dat == 6)] <- NA
# Reverse code specific items
reverse <- c(2, 4, 6, 8, 10, 11, 13, 15, 16, 17, 18, 19, 20, 21, 23, 25, 27, 32, 34, 36, 42, 44, 46)
dat[, reverse] <- 6 - dat[, reverse]
# Remove missing cases for simple demonstration
dat <- dat[complete.cases(dat), ]
# Fit model (subset for speed)
fit_bfpt <- lsirm(dat[1:50, 1:10] ~ lsirmgrm(niter = 1000, nburn = 500))
summary(fit_bfpt)
```

```

# Fit with missing data (MAR)
fit_mar <- lsirm(data ~ lsirmgrm(missing_data = "mar", niter = 1000, nburn = 500))

# Fit with Spike-and-Slab prior for model selection
fit_ss <- lsirm(data ~ lsirmgrm(spikenslab = TRUE, niter = 1000, nburn = 500))

# Fit with adaptive MCMC for automatic tuning
fit_adapt <- lsirmgrm(data, niter = 2000, nburn = 1000,
                       adapt = list(use_adapt = TRUE, adapt_interval = 50))
# Check adapted jump sizes and acceptance rates
cat("Final jump_beta:", fit_adapt$jump_beta, "\n")
cat("Acceptance rate (post-burnin):", fit_adapt$accept_beta, "\n")

```

---

lsirmgrm2pl*Fit an ordinal LSIRM with the graded response model (2PL)*

---

**Description**

`lsirmgrm2pl` fits a two-parameter logistic (2PL) extension of the ordinal latent space item response model using the graded response model (GRM) with item discrimination parameters  $\alpha_i$ . The model factorizes the item response matrix into item thresholds, respondent ability, and item discrimination, while embedding interaction effects in a latent space. The resulting latent space provides an interaction map that visualizes the complex relationships between respondents and items beyond traditional IRT models.

**Usage**

```
lsirmgrm2pl(
  data,
  ncat = NULL,
  missing_data = NA,
  missing.val = 99,
  chains = 1,
  multicore = 1,
  seed = NA,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
```

```

  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  fixed_gamma = FALSE,
  spikenslab = FALSE,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_xi_a = 1,
  pr_xi_b = 1,
  adapt = NULL,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)

```

## Arguments

<code>data</code>	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either <code>0:(K-1)</code> or <code>1:K</code> . Missing values can be <code>NA</code> .
<code>ncat</code>	Integer; number of categories $K$ . If <code>NULL</code> , it is inferred from the observed data.
<code>missing_data</code>	Character; the type of missing data assumed. Options are <code>NA</code> , <code>"mar"</code> , or <code>"mcar"</code> . If <code>NA</code> and <code>data</code> contains missing values, it is set to <code>"mcar"</code> internally.
<code>missing.val</code>	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
<code>chains</code>	Integer; number of MCMC chains. Default is 1.
<code>multicore</code>	Integer; number of cores for parallel execution when <code>chains &gt; 1</code> . Default is 1.
<code>seed</code>	Integer; RNG seed. Default is <code>NA</code> .
<code>ndim</code>	Integer; latent space dimension. Default is 2.
<code>niter</code>	Integer; total MCMC iterations. Default is 15000.
<code>nburn</code>	Integer; burn-in iterations. Default is 2500.
<code>nthin</code>	Integer; thinning interval. Default is 5.
<code>nprint</code>	Integer; print interval if <code>verbose=TRUE</code> . Default is 500.
<code>jump_beta</code>	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.

jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_alpha	Numeric; proposal SD on log-scale for $\alpha$ . Default is 1.
jump_gamma	Numeric; proposal SD on log-scale for gamma. Default is 0.2.
jump_z	Numeric; proposal SD for z. Default is 0.5.
jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.
pr_mean_theta	Numeric; prior mean for theta. Default is 0.
pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_mean_alpha	Numeric; log-normal prior mean for $\alpha$ . Default is 0.5.
pr_sd_alpha	Numeric; log-normal prior SD for $\alpha$ . Default is 1.
pr_mean_gamma	Numeric; log-normal prior mean for gamma. Default is 0.5.
pr_sd_gamma	Numeric; log-normal prior SD for gamma. Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.
pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
fixed_gamma	Logical; if TRUE, fixes $\gamma = 1$ (no sampling). Default is FALSE.
spikenslab	Logical; if TRUE, uses spike-and-slab priors for $\gamma$ . Default is FALSE.
pr_spike_mean	Numeric; prior mean for the spike component (on log-scale). Default is -3.
pr_spike_sd	Numeric; prior SD for the spike component (on log-scale). Default is 1.
pr_slab_mean	Numeric; prior mean for the slab component (on log-scale). Default is 0.5.
pr_slab_sd	Numeric; prior SD for the slab component (on log-scale). Default is 1.
pr_xi_a	Numeric; Beta prior shape a for mixing weight $\xi$ . Default is 1.
pr_xi_b	Numeric; Beta prior shape b for mixing weight $\xi$ . Default is 1.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, accept_alpha, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma, alpha). Default is 0.44.</li> <li>target_accept_zw: Numeric; target acceptance rate for multi-dimensional latent positions z and w. Default is 0.234.</li> </ul>

- `target_accept_beta/theta/alpha/gamma`: Numeric; (optional) parameter-specific target acceptance rates to override `target_accept`.

<code>verbose</code>	Logical; If TRUE, MCMC progress and parameter samples are printed to the console during execution. Default is FALSE.
<code>fix_theta_sd</code>	Logical; If TRUE, the standard deviation of the respondent latent positions $\theta$ is fixed at 1 instead of being sampled. Default is FALSE.
<code>fix_alpha_1</code>	Logical; if TRUE, fixes $\alpha_1 = 1$ . Default is TRUE.

## Details

`lsirmgrm2pl` implements the 2PL extension of the Graded Response Model (GRM) in a latent space framework. Let  $Y_{j,i} \in \{0, \dots, K-1\}$  be the ordered categorical response of respondent  $j$  to item  $i$ . The model is defined via cumulative logits:

$$\Pr(Y_{j,i} \geq k | \theta_j, \alpha_i, \beta_{i,k}, \gamma, z_j, w_i) = \text{logit}^{-1}(\alpha_i \theta_j + \beta_{i,k} - \gamma \|z_j - w_i\|)$$

for  $k = 1, \dots, K-1$ , where  $\alpha_i$  is the item discrimination parameter and  $\beta_{i,k}$  are item-specific thresholds that satisfy the ordering constraint  $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$  for identifiability.

Missing data handling:

- "mcar": missing responses are excluded from the likelihood.
- "mar": missing responses are imputed by data augmentation within the MCMC.

## Value

An object of class `lsirm`. For multi-chain fits, a list where each element (`chain1`, `chain2`, etc.) is a single-chain fit of class `lsirm`.

If `missing_data = "mar"`, the returned object additionally contains `imp` (MCMC draws of imputed responses for each missing cell) and `imp_estimate` (posterior mean imputation for each missing cell).

## References

De Carolis, L., Kang, I., & Jeon, M. (2025). A Latent Space Graded Response Model for Likert-Scale Psychological Assessments. *Multivariate Behavioral Research*. doi:10.1080/00273171.2025.2605678

## Examples

```
# Generate example ordinal item response matrix
set.seed(123)
nsample <- 50
nitem <- 10
data <- matrix(sample(1:5, nsample * nitem, replace = TRUE), nrow = nsample)

# Fit 2PL GRM LSIRM using direct function call
fit <- lsirmgrm2pl(data, niter = 1000, nburn = 500, nthin = 2)
summary(fit)

# Fit with missing data (MAR)
```

```

data_mar <- data
data_mar[sample(1:length(data), 20)] <- NA
fit_mar <- lsirm(data_mar ~ lsirmgrm2pl(missing_data = "mar", niter = 1000, nburn = 500))

# Fit with Spike-and-Slab prior for model selection
fit_ss <- lsirm(data ~ lsirmgrm2pl(spikenslab = TRUE, niter = 1000, nburn = 500))

# Fit with adaptive MCMC for automatic tuning
fit_adapt <- lsirmgrm2pl(data, niter = 2000, nburn = 1000,
                           adapt = list(use_adapt = TRUE, adapt_interval = 50))
# Check adapted jump sizes and acceptance rates
cat("Final jump_alpha:", fit_adapt$jump_alpha, "\n")
cat("Acceptance rate (post-burnin):", fit_adapt$accept_alpha, "\n")

```

---

lsirmgrm2pl\_fixed\_gamma

*2PL GRM LSIRM fixing gamma to 1.*

---

## Description

[lsirmgrm2pl\\_fixed\\_gamma](#) is used to fit 2PL GRM LSIRM with gamma fixed to 1.

## Usage

```

lsirmgrm2pl_fixed_gamma(
  data,
  ncat = NULL,
  missing_data = NA,
  missing.val = 99,
  chains = 1,
  multicore = 1,
  seed = NA,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_alpha = 0.5,

```

```

  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  adapt = NULL,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either 0:(K-1) or 1:K. Missing values can be NA.
ncat	Integer; number of categories $K$ . If NULL, it is inferred from the observed data.
missing_data	Character; the type of missing data assumed. Options are NA, "mar", or "mcar". If NA and data contains missing values, it is set to "mcar" internally.
missing.val	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
chains	Integer; number of MCMC chains. Default is 1.
multicore	Integer; number of cores for parallel execution when chains > 1. Default is 1.
seed	Integer; RNG seed. Default is NA.
ndim	Integer; latent space dimension. Default is 2.
niter	Integer; total MCMC iterations. Default is 15000.
nburn	Integer; burn-in iterations. Default is 2500.
nthin	Integer; thinning interval. Default is 5.
nprint	Integer; print interval if verbose=TRUE. Default is 500.
jump_beta	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.
jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_alpha	Numeric; proposal SD on log-scale for $\alpha$ . Default is 1.
jump_z	Numeric; proposal SD for z. Default is 0.5.
jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.
pr_mean_theta	Numeric; prior mean for theta. Default is 0.
pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_mean_alpha	Numeric; log-normal prior mean for $\alpha$ . Default is 0.5.
pr_sd_alpha	Numeric; log-normal prior SD for $\alpha$ . Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.

pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, accept_alpha, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma, alpha). Default is 0.44.</li> <li>target_accept_zw: Numeric; target acceptance rate for multi-dimensional latent positions z and w. Default is 0.234.</li> <li>target_accept_beta/theta/alpha/gamma: Numeric; (optional) parameter-specific target acceptance rates to override target_accept.</li> </ul>
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. default value is FALSE
fix_theta_sd	Logical; If TRUE, the standard deviation of the respondent latent positions $\theta$ is fixed at 1 instead of being sampled. Default is FALSE.
fix_alpha_1	Logical; if TRUE, fixes $\alpha_1 = 1$ . Default is TRUE.

## Value

`lsirmgrm2pl_fixed_gamma` returns an object of list containing the same components as [lsirmgrm2pl](#).

## Examples

```
# generate example ordinal item response matrix
set.seed(123)
nsample <- 50
nitem <- 10
data <- matrix(sample(1:5, nsample * nitem, replace = TRUE), nrow = nsample)

# Fit 2PL GRM LSIRM with fixed gamma = 1
fit <- lsirmgrm2pl_fixed_gamma(data, niter = 1000, nburn = 500)
summary(fit)
```

---

<code>lsirmgrm2pl_mar</code>	<i>2PL GRM LSIRM for missing at random data.</i>
------------------------------	--

---

### Description

`lsirmgrm2pl_mar` is used to fit 2PL GRM LSIRM in incomplete data assumed to be missing at random.

### Usage

```
lsirmgrm2pl_mar(
  data,
  ncat = NULL,
  missing.val = 99,
  chains = 1,
  multicore = 1,
  seed = NA,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  adapt = NULL,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)
```

### Arguments

<code>data</code>	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either
-------------------	---

	0:(K-1) or 1:K. Missing values can be NA.
ncat	Integer; number of categories $K$ . If NULL, it is inferred from the observed data.
missing.val	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
chains	Integer; number of MCMC chains. Default is 1.
multicore	Integer; number of cores for parallel execution when chains > 1. Default is 1.
seed	Integer; RNG seed. Default is NA.
ndim	Integer; latent space dimension. Default is 2.
niter	Integer; total MCMC iterations. Default is 15000.
nburn	Integer; burn-in iterations. Default is 2500.
nthin	Integer; thinning interval. Default is 5.
nprint	Integer; print interval if verbose=TRUE. Default is 500.
jump_beta	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.
jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_alpha	Numeric; proposal SD on log-scale for $\alpha$ . Default is 1.
jump_gamma	Numeric; proposal SD on log-scale for gamma. Default is 0.2.
jump_z	Numeric; proposal SD for z. Default is 0.5.
jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.
pr_mean_theta	Numeric; prior mean for theta. Default is 0.
pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_mean_alpha	Numeric; log-normal prior mean for $\alpha$ . Default is 0.5.
pr_sd_alpha	Numeric; log-normal prior SD for $\alpha$ . Default is 1.
pr_mean_gamma	Numeric; log-normal prior mean for gamma. Default is 0.5.
pr_sd_gamma	Numeric; log-normal prior SD for gamma. Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.
pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, accept_alpha, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> </ul>

	<ul style="list-style-type: none"> <li>• adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration<sup>decay_rate</sup>. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>• decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>• target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma, alpha). Default is 0.44.</li> <li>• target_accept_zw: Numeric; target acceptance rate for multi-dimensional latent positions z and w. Default is 0.234.</li> <li>• target_accept_beta/theta/alpha/gamma: Numeric; (optional) parameter-specific target acceptance rates to override target_accept.</li> </ul>
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the respondent latent positions $\theta$ is fixed at 1 instead of being sampled. Default is FALSE.
fix_alpha_1	Logical; if TRUE, fixes $\alpha_1 = 1$ . Default is TRUE.

### Examples

```

# generate example ordinal item response matrix
set.seed(123)
nsample <- 50
nitem <- 10
data <- matrix(sample(1:5, nsample * nitem, replace = TRUE), nrow = nsample)

# generate missing value
data[sample(1:500, 50)] <- NA

# Fit 2PL GRM LSIRM with MAR
fit <- lsirmgrm2pl_mar(data, niter = 1000, nburn = 500)
summary(fit)

```

---

lsirmgrm2pl\_mcar

*2PL GRM LSIRM for missing completely at random data.*

---

### Description

`lsirmgrm2pl_mcar` is used to fit 2PL GRM LSIRM in incomplete data assumed to be missing completely at random.

### Usage

```

lsirmgrm2pl_mcar(
  data,
  ncat = NULL,

```

```

missing.val = 99,
chains = 1,
multicore = 1,
seed = NA,
ndim = 2,
niter = 15000,
nburn = 2500,
nthin = 5,
nprint = 500,
jump_beta = 0.4,
jump_theta = 1,
jump_alpha = 1,
jump_gamma = 0.2,
jump_z = 0.5,
jump_w = 0.5,
pr_mean_beta = 0,
pr_sd_beta = 1,
pr_mean_theta = 0,
pr_sd_theta = 1,
pr_mean_alpha = 0.5,
pr_sd_alpha = 1,
pr_mean_gamma = 0.5,
pr_sd_gamma = 1,
pr_a_theta = 0.001,
pr_b_theta = 0.001,
adapt = NULL,
verbose = FALSE,
fix_theta_sd = FALSE,
fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either 0:(K-1) or 1:K. Missing values can be NA.
ncat	Integer; number of categories $K$ . If NULL, it is inferred from the observed data.
missing.val	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
chains	Integer; number of MCMC chains. Default is 1.
multicore	Integer; number of cores for parallel execution when chains > 1. Default is 1.
seed	Integer; RNG seed. Default is NA.
ndim	Integer; latent space dimension. Default is 2.
niter	Integer; total MCMC iterations. Default is 15000.
nburn	Integer; burn-in iterations. Default is 2500.
nthin	Integer; thinning interval. Default is 5.

nprint	Integer; print interval if verbose=TRUE. Default is 500.
jump_beta	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.
jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_alpha	Numeric; proposal SD on log-scale for $\alpha$ . Default is 1.
jump_gamma	Numeric; proposal SD on log-scale for gamma. Default is 0.2.
jump_z	Numeric; proposal SD for z. Default is 0.5.
jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.
pr_mean_theta	Numeric; prior mean for theta. Default is 0.
pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_mean_alpha	Numeric; log-normal prior mean for $\alpha$ . Default is 0.5.
pr_sd_alpha	Numeric; log-normal prior SD for $\alpha$ . Default is 1.
pr_mean_gamma	Numeric; log-normal prior mean for gamma. Default is 0.5.
pr_sd_gamma	Numeric; log-normal prior SD for gamma. Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.
pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, accept_alpha, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>• use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>• adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>• adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>• decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>• target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma, alpha). Default is 0.44.</li> <li>• target_accept_zw: Numeric; target acceptance rate for multi-dimensional latent positions z and w. Default is 0.234.</li> <li>• target_accept_beta/theta/alpha/gamma: Numeric; (optional) parameter-specific target acceptance rates to override target_accept.</li> </ul>
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the respondent latent positions $\theta$ is fixed at 1 instead of being sampled. Default is FALSE.
fix_alpha_1	Logical; if TRUE, fixes $\alpha_1 = 1$ . Default is TRUE.

## Examples

```

# generate example ordinal item response matrix
set.seed(123)
nsample <- 50
nitem <- 10
data <- matrix(sample(1:5, nsample * nitem, replace = TRUE), nrow = nsample)

# generate missing value (MCAR)
data[sample(1:500, 50)] <- NA

# Fit 2PL GRM LSIRM with MCAR
fit <- lsirmgrm2pl_mcar(data, niter = 1000, nburn = 500)
summary(fit)

```

lsirmgrm2pl\_o

*Fit a single-chain ordinal LSIRM (GRM 2PL)*

## Description

Fit a single-chain ordinal LSIRM (GRM 2PL)

## Usage

```

lsirmgrm2pl_o(
  data,
  ncat = NULL,
  missing_data = NA,
  missing.val = 99,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_mean_gamma = 0.5,

```

```

  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  fixed_gamma = FALSE,
  spikenslab = FALSE,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_xi_a = 1,
  pr_xi_b = 1,
  adapt = NULL,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either 0:(K-1) or 1:K. Missing values can be NA.
ncat	Integer; number of categories $K$ . If NULL, it is inferred from the observed data.
missing_data	Character; the type of missing data assumed. Options are NA, "mar", or "mcar". If NA and data contains missing values, it is set to "mcar" internally.
missing.val	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
ndim	Integer; latent space dimension. Default is 2.
niter	Integer; total MCMC iterations. Default is 15000.
nburn	Integer; burn-in iterations. Default is 2500.
nthin	Integer; thinning interval. Default is 5.
nprint	Integer; print interval if verbose=TRUE. Default is 500.
jump_beta	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.
jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_alpha	Numeric; proposal SD on log-scale for $\alpha$ . Default is 1.
jump_gamma	Numeric; proposal SD on log-scale for gamma. Default is 0.2.
jump_z	Numeric; proposal SD for z. Default is 0.5.
jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.
pr_mean_theta	Numeric; prior mean for theta. Default is 0.

pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_mean_alpha	Numeric; log-normal prior mean for $\alpha$ . Default is 0.5.
pr_sd_alpha	Numeric; log-normal prior SD for $\alpha$ . Default is 1.
pr_mean_gamma	Numeric; log-normal prior mean for gamma. Default is 0.5.
pr_sd_gamma	Numeric; log-normal prior SD for gamma. Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.
pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
fixed_gamma	Logical; if TRUE, fixes $\gamma = 1$ (no sampling). Default is FALSE.
spikenslab	Logical; if TRUE, uses spike-and-slab priors for $\gamma$ . Default is FALSE.
pr_spike_mean	Numeric; prior mean for the spike component (on log-scale). Default is -3.
pr_spike_sd	Numeric; prior SD for the spike component (on log-scale). Default is 1.
pr_slab_mean	Numeric; prior mean for the slab component (on log-scale). Default is 0.5.
pr_slab_sd	Numeric; prior SD for the slab component (on log-scale). Default is 1.
pr_xi_a	Numeric; Beta prior shape a for mixing weight $\xi$ . Default is 1.
pr_xi_b	Numeric; Beta prior shape b for mixing weight $\xi$ . Default is 1.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, accept_alpha, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma, alpha). Default is 0.44.</li> <li>target_accept_zw: Numeric; target acceptance rate for multi-dimensional latent positions z and w. Default is 0.234.</li> <li>target_accept_beta/theta/alpha/gamma: Numeric; (optional) parameter-specific target acceptance rates to override target_accept.</li> </ul>
verbose	Logical; If TRUE, MCMC progress and parameter samples are printed to the console during execution. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the respondent latent positions $\theta$ is fixed at 1 instead of being sampled. Default is FALSE.
fix_alpha_1	Logical; if TRUE, fixes $\alpha_1 = 1$ . Default is TRUE.

**Value**

A list containing MCMC draws and posterior summaries, including:

- `beta, theta, gamma, alpha, z, w`: MCMC draws.
- `beta_estimate, theta_estimate, gamma_estimate, alpha_estimate, z_estimate, w_estimate`: posterior means.

If `missing_data = "mar"`, the list additionally includes `imp` and `imp_estimate` for the imputed ordinal responses.

`lsirmgrm2pl_ss`

*2PL GRM LSIRM with spike-and-slab prior.*

**Description**

`lsirmgrm2pl_ss` is used to fit 2PL GRM LSIRM with spike-and-slab prior.

**Usage**

```
lsirmgrm2pl_ss(
  data,
  ncat = NULL,
  missing_data = NA,
  missing.val = 99,
  chains = 1,
  multicore = 1,
  seed = NA,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_alpha = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_alpha = 0.5,
  pr_sd_alpha = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_spike_mean = -3,
```

```

  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_xi_a = 1,
  pr_xi_b = 1,
  adapt = NULL,
  verbose = FALSE,
  fix_theta_sd = FALSE,
  fix_alpha_1 = TRUE
)

```

## Arguments

data	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either 0:(K-1) or 1:K. Missing values can be NA.
ncat	Integer; number of categories $K$ . If NULL, it is inferred from the observed data.
missing_data	Character; the type of missing data assumed. Options are NA, "mar", or "mcar". If NA and data contains missing values, it is set to "mcar" internally.
missing.val	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
chains	Integer; number of MCMC chains. Default is 1.
multicore	Integer; number of cores for parallel execution when chains > 1. Default is 1.
seed	Integer; RNG seed. Default is NA.
ndim	Integer; latent space dimension. Default is 2.
niter	Integer; total MCMC iterations. Default is 15000.
nburn	Integer; burn-in iterations. Default is 2500.
nthin	Integer; thinning interval. Default is 5.
nprint	Integer; print interval if verbose=TRUE. Default is 500.
jump_beta	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.
jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_alpha	Numeric; proposal SD on log-scale for $\alpha$ . Default is 1.
jump_gamma	Numeric; proposal SD on log-scale for gamma. Default is 0.2.
jump_z	Numeric; proposal SD for z. Default is 0.5.
jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.
pr_mean_theta	Numeric; prior mean for theta. Default is 0.
pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_mean_alpha	Numeric; log-normal prior mean for $\alpha$ . Default is 0.5.

pr_sd_alpha	Numeric; log-normal prior SD for $\alpha$ . Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.
pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
pr_spike_mean	Numeric; prior mean for the spike component (on log-scale). Default is -3.
pr_spike_sd	Numeric; prior SD for the spike component (on log-scale). Default is 1.
pr_slab_mean	Numeric; prior mean for the slab component (on log-scale). Default is 0.5.
pr_slab_sd	Numeric; prior SD for the slab component (on log-scale). Default is 1.
pr_xi_a	Numeric; Beta prior shape a for mixing weight $\xi$ . Default is 1.
pr_xi_b	Numeric; Beta prior shape b for mixing weight $\xi$ . Default is 1.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, accept_alpha, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma, alpha). Default is 0.44.</li> <li>target_accept_zw: Numeric; target acceptance rate for multi-dimensional latent positions z and w. Default is 0.234.</li> <li>target_accept_beta/theta/alpha/gamma: Numeric; (optional) parameter-specific target acceptance rates to override target_accept.</li> </ul>
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the respondent latent positions $\theta$ is fixed at 1 instead of being sampled. Default is FALSE.
fix_alpha_1	Logical; if TRUE, fixes $\alpha_1 = 1$ . Default is TRUE.

## Examples

```

# generate example ordinal item response matrix
set.seed(123)
nsmple <- 50
nitem <- 10
data <- matrix(sample(1:5, nsmple * nitem, replace = TRUE), nrow = nsmple)

# Fit 2PL GRM LSIRM with Spike-and-Slab

```

```
fit <- lsirmgrm2pl_ss(data, niter = 1000, nburn = 500)
summary(fit)
```

---

lsirmgrm\_fixed\_gamma *1PL GRM LSIRM fixing gamma to 1.*

---

## Description

[lsirmgrm\\_fixed\\_gamma](#) is used to fit 1PL GRM LSIRM with gamma fixed to 1.

## Usage

```
lsirmgrm_fixed_gamma(
  data,
  ncat = NULL,
  missing_data = NA,
  missing.val = 99,
  chains = 1,
  multicore = 1,
  seed = NA,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  adapt = NULL,
  verbose = FALSE,
  fix_theta_sd = FALSE
)
```

## Arguments

data	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either 0:(K-1) or 1:K. Missing values can be NA.
------	---

ncat	Integer; number of categories $K$ . If NULL, it is inferred from the observed data.
missing_data	Character; the type of missing data assumed. Options are NA, "mar", or "mcar". If NA and data contains missing values, it is set to "mcar" internally.
missing.val	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
chains	Integer; number of MCMC chains. Default is 1.
multicore	Integer; number of cores for parallel execution when chains > 1. Default is 1.
seed	Integer; RNG seed. Default is NA.
ndim	Integer; latent space dimension. Default is 2.
niter	Integer; total MCMC iterations. Default is 15000.
nburn	Integer; burn-in iterations. Default is 2500.
nthin	Integer; thinning interval. Default is 5.
nprint	Integer; print interval if verbose=TRUE. Default is 500.
jump_beta	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.
jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_z	Numeric; proposal SD for z. Default is 0.5.
jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.
pr_mean_theta	Numeric; prior mean for theta. Default is 0.
pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.
pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>• use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>• adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>• adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>• decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>• target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma). Default is 0.44.</li> </ul>

	<ul style="list-style-type: none"> <li>• <code>target_accept_zw</code>: Numeric; target acceptance rate for latent positions <math>z</math> and <math>w</math>. Default is 0.234.</li> <li>• <code>target_accept_beta/theta/gamma</code>: Numeric; (optional) parameter-specific target acceptance rates to override <code>target_accept</code>.</li> </ul>
<code>verbose</code>	Logical; If TRUE, MCMC samples are printed for each <code>nprint</code> . default value is FALSE
<code>fix_theta_sd</code>	Logical; If TRUE, the standard deviation of the respondent latent positions $\theta$ is fixed at 1 instead of being sampled. Default is FALSE.

### Value

`lsirmgrm_fixed_gamma` returns an object of list containing the same components as `lsirmgrm`.

### Examples

```
# generate example ordinal item response matrix
set.seed(123)
nsample <- 50
nitem <- 10
data <- matrix(sample(1:5, nsample * nitem, replace = TRUE), nrow = nsample)

# Fit 1PL GRM LSIRM with fixed gamma = 1
fit <- lsirmgrm_fixed_gamma(data, niter = 1000, nburn = 500)
summary(fit)
```

---

lsirmgrm\_mar

*1PL GRM LSIRM for missing at random data.*

---

### Description

`lsirmgrm_mar` is used to fit 1PL GRM LSIRM in incomplete data assumed to be missing at random.

### Usage

```
lsirmgrm_mar(
  data,
  ncat = NULL,
  missing.val = 99,
  chains = 1,
  multicore = 1,
  seed = NA,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
```

```

nprint = 500,
jump_beta = 0.4,
jump_theta = 1,
jump_gamma = 0.2,
jump_z = 0.5,
jump_w = 0.5,
pr_mean_beta = 0,
pr_sd_beta = 1,
pr_mean_theta = 0,
pr_sd_theta = 1,
pr_mean_gamma = 0.5,
pr_sd_gamma = 1,
pr_a_theta = 0.001,
pr_b_theta = 0.001,
adapt = NULL,
verbose = FALSE,
fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either 0:(K-1) or 1:K. Missing values can be NA.
ncat	Integer; number of categories $K$ . If NULL, it is inferred from the observed data.
missing.val	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
chains	Integer; number of MCMC chains. Default is 1.
multicore	Integer; number of cores for parallel execution when chains > 1. Default is 1.
seed	Integer; RNG seed. Default is NA.
ndim	Integer; latent space dimension. Default is 2.
niter	Integer; total MCMC iterations. Default is 15000.
nburn	Integer; burn-in iterations. Default is 2500.
nthin	Integer; thinning interval. Default is 5.
nprint	Integer; print interval if verbose=TRUE. Default is 500.
jump_beta	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.
jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_gamma	Numeric; proposal SD on log-scale for gamma. Default is 0.2.
jump_z	Numeric; proposal SD for z. Default is 0.5.
jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.

pr_mean_theta	Numeric; prior mean for theta. Default is 0.
pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_mean_gamma	Numeric; log-normal prior mean for gamma. Default is 0.5.
pr_sd_gamma	Numeric; log-normal prior SD for gamma. Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.
pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>• use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>• adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>• adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>• decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>• target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma). Default is 0.44.</li> <li>• target_accept_zw: Numeric; target acceptance rate for latent positions z and w. Default is 0.234.</li> <li>• target_accept_beta/theta/gamma: Numeric; (optional) parameter-specific target acceptance rates to override target_accept.</li> </ul>
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the respondent latent positions $\theta$ is fixed at 1 instead of being sampled. Default is FALSE.

## Examples

```

# generate example ordinal item response matrix
set.seed(123)
nsmple <- 50
nitem <- 10
data <- matrix(1:5, nsmple * nitem, replace = TRUE), nrow = nsmple)

# generate missing value
data[sample(1:500, 50)] <- NA

# Fit 1PL GRM LSIRM with MAR
fit <- lsirmgrm_mar(data, niter = 1000, nburn = 500)
summary(fit)

```

---

**lsirmgrm\_mcar***IPL GRM LSIRM for missing completely at random data.*

---

### Description

`lsirmgrm_mcar` is used to fit 1PL GRM LSIRM in incomplete data assumed to be missing completely at random.

### Usage

```
lsirmgrm_mcar(
  data,
  ncat = NULL,
  missing.val = 99,
  chains = 1,
  multicore = 1,
  seed = NA,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  adapt = NULL,
  verbose = FALSE,
  fix_theta_sd = FALSE
)
```

### Arguments

<code>data</code>	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either <code>0:(K-1)</code> or <code>1:K</code> . Missing values can be <code>NA</code> .
<code>ncat</code>	Integer; number of categories $K$ . If <code>NULL</code> , it is inferred from the observed data.

missing.val	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
chains	Integer; number of MCMC chains. Default is 1.
multicore	Integer; number of cores for parallel execution when chains > 1. Default is 1.
seed	Integer; RNG seed. Default is NA.
ndim	Integer; latent space dimension. Default is 2.
niter	Integer; total MCMC iterations. Default is 15000.
nburn	Integer; burn-in iterations. Default is 2500.
nthin	Integer; thinning interval. Default is 5.
nprint	Integer; print interval if verbose=TRUE. Default is 500.
jump_beta	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.
jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_gamma	Numeric; proposal SD on log-scale for gamma. Default is 0.2.
jump_z	Numeric; proposal SD for z. Default is 0.5.
jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.
pr_mean_theta	Numeric; prior mean for theta. Default is 0.
pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_mean_gamma	Numeric; log-normal prior mean for gamma. Default is 0.5.
pr_sd_gamma	Numeric; log-normal prior SD for gamma. Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.
pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>• use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>• adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>• adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>• decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>• target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma). Default is 0.44.</li> </ul>

- **target\_accept\_zw**: Numeric; target acceptance rate for latent positions  $z$  and  $w$ . Default is 0.234.
- **target\_accept\_beta/theta/gamma**: Numeric; (optional) parameter-specific target acceptance rates to override **target\_accept**.

**verbose** Logical; If TRUE, MCMC samples are printed for each **nprint**. Default is FALSE.

**fix\_theta\_sd** Logical; If TRUE, the standard deviation of the respondent latent positions  $\theta$  is fixed at 1 instead of being sampled. Default is FALSE.

## Examples

```
# generate example ordinal item response matrix
set.seed(123)
nsample <- 50
nitem <- 10
data <- matrix(sample(1:5, nsample * nitem, replace = TRUE), nrow = nsample)

# generate missing value (MCAR)
data[sample(1:500, 50)] <- NA

# Fit 1PL GRM LSIRM with MCAR
fit <- lsirmgrm_mcara(data, niter = 1000, nburn = 500)
summary(fit)
```

---

**lsirmgrm\_o**

*Fit a single-chain ordinal LSIRM (GRM)*

---

## Description

**lsirmgrm\_o** is the single-chain fitting function used internally by **lsirmgrm**.

## Usage

```
lsirmgrm_o(
  data,
  ncat = NULL,
  missing_data = NA,
  missing.val = 99,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
```

```

  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_mean_gamma = 0.5,
  pr_sd_gamma = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  fixed_gamma = FALSE,
  spikenslab = FALSE,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
  pr_xi_a = 1,
  pr_xi_b = 1,
  adapt = NULL,
  verbose = FALSE,
  fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either 0:(K-1) or 1:K. Missing values can be NA.
ncat	Integer; number of categories $K$ . If NULL, it is inferred from the observed data.
missing_data	Character; the type of missing data assumed. Options are NA, "mar", or "mcar". If NA and data contains missing values, it is set to "mcar" internally.
missing.val	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
ndim	Integer; latent space dimension. Default is 2.
niter	Integer; total MCMC iterations. Default is 15000.
nburn	Integer; burn-in iterations. Default is 2500.
nthin	Integer; thinning interval. Default is 5.
nprint	Integer; print interval if verbose=TRUE. Default is 500.
jump_beta	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.
jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_gamma	Numeric; proposal SD on log-scale for gamma. Default is 0.2.
jump_z	Numeric; proposal SD for z. Default is 0.5.

jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.
pr_mean_theta	Numeric; prior mean for theta. Default is 0.
pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_mean_gamma	Numeric; log-normal prior mean for gamma. Default is 0.5.
pr_sd_gamma	Numeric; log-normal prior SD for gamma. Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.
pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
fixed_gamma	Logical; if TRUE, fixes $\gamma = 1$ (no sampling). Default is FALSE.
spikenslab	Logical; if TRUE, uses spike-and-slab priors for $\gamma$ . Default is FALSE.
pr_spike_mean	Numeric; prior mean for the spike component (on log-scale). Default is -3.
pr_spike_sd	Numeric; prior SD for the spike component (on log-scale). Default is 1.
pr_slab_mean	Numeric; prior mean for the slab component (on log-scale). Default is 0.5.
pr_slab_sd	Numeric; prior SD for the slab component (on log-scale). Default is 1.
pr_xi_a	Numeric; Beta prior shape a for mixing weight $\xi$ . Default is 1.
pr_xi_b	Numeric; Beta prior shape b for mixing weight $\xi$ . Default is 1.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma). Default is 0.44.</li> <li>target_accept_zw: Numeric; target acceptance rate for latent positions z and w. Default is 0.234.</li> <li>target_accept_beta/theta/gamma: Numeric; (optional) parameter-specific target acceptance rates to override target_accept.</li> </ul>
verbose	Logical; If TRUE, MCMC progress and parameter samples are printed to the console during execution. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the respondent latent positions $\theta$ is fixed at 1 instead of being sampled. Default is FALSE.

**Value**

A list containing MCMC draws and posterior summaries, including:

- `beta, theta, gamma, z, w`: MCMC draws.
- `beta_estimate, theta_estimate, gamma_estimate, z_estimate, w_estimate`: posterior means.

If `missing_data = "mar"`, the list additionally includes `imp` (imputed responses per iteration for each missing cell) and `imp_estimate` (posterior mean imputation for each missing cell).

lsirmgrm\_ss

*IPL GRM LSIRM with spike-and-slab prior.***Description**

`lsirmgrm_ss` is used to fit 1PL GRM LSIRM with spike-and-slab prior.

**Usage**

```
lsirmgrm_ss(
  data,
  ncat = NULL,
  missing_data = NA,
  missing.val = 99,
  chains = 1,
  multicore = 1,
  seed = NA,
  ndim = 2,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  jump_gamma = 0.2,
  jump_z = 0.5,
  jump_w = 0.5,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_sd_theta = 1,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001,
  pr_spike_mean = -3,
  pr_spike_sd = 1,
  pr_slab_mean = 0.5,
  pr_slab_sd = 1,
```

```

  pr_xi_a = 1,
  pr_xi_b = 1,
  adapt = NULL,
  verbose = FALSE,
  fix_theta_sd = FALSE
)

```

## Arguments

data	Matrix; an ordinal (ordered categorical) item response matrix. Each row represents a respondent, and each column represents an item. Values can be either 0:(K-1) or 1:K. Missing values can be NA.
ncat	Integer; number of categories $K$ . If NULL, it is inferred from the observed data.
missing_data	Character; the type of missing data assumed. Options are NA, "mar", or "mcar". If NA and data contains missing values, it is set to "mcar" internally.
missing.val	Numeric; numeric code used to represent missing values in the C++ sampler. Default is 99.
chains	Integer; number of MCMC chains. Default is 1.
multicore	Integer; number of cores for parallel execution when chains > 1. Default is 1.
seed	Integer; RNG seed. Default is NA.
ndim	Integer; latent space dimension. Default is 2.
niter	Integer; total MCMC iterations. Default is 15000.
nburn	Integer; burn-in iterations. Default is 2500.
nthin	Integer; thinning interval. Default is 5.
nprint	Integer; print interval if verbose=TRUE. Default is 500.
jump_beta	Numeric; proposal SD for GRM thresholds. Default is 0.4. During MCMC sampling, threshold proposals are constrained to maintain the ordering $\beta_{i,1} > \beta_{i,2} > \dots > \beta_{i,K-1}$ for each item.
jump_theta	Numeric; proposal SD for theta. Default is 1.
jump_gamma	Numeric; proposal SD on log-scale for gamma. Default is 0.2.
jump_z	Numeric; proposal SD for z. Default is 0.5.
jump_w	Numeric; proposal SD for w. Default is 0.5.
pr_mean_beta	Numeric; prior mean for thresholds. Default is 0.
pr_sd_beta	Numeric; prior SD for thresholds. Default is 1.
pr_mean_theta	Numeric; prior mean for theta. Default is 0.
pr_sd_theta	Numeric; prior SD for theta. Default is 1.
pr_a_theta	Numeric; shape for inverse-gamma prior on var(theta). Default is 0.001.
pr_b_theta	Numeric; scale for inverse-gamma prior on var(theta). Default is 0.001.
pr_spike_mean	Numeric; prior mean for the spike component (on log-scale). Default is -3.
pr_spike_sd	Numeric; prior SD for the spike component (on log-scale). Default is 1.
pr_slab_mean	Numeric; prior mean for the slab component (on log-scale). Default is 0.5.

pr_slab_sd	Numeric; prior SD for the slab component (on log-scale). Default is 1.
pr_xi_a	Numeric; Beta prior shape a for mixing weight $\xi$ . Default is 1.
pr_xi_b	Numeric; Beta prior shape b for mixing weight $\xi$ . Default is 1.
adapt	List; optional adaptive MCMC control. If not NULL, proposal standard deviations are adapted during the burn-in period to reach a target acceptance rate and are held fixed during the main MCMC sampling. When adaptation is enabled, the reported acceptance ratios in the output (accept_beta, accept_theta, etc.) are computed only from iterations after burn-in, reflecting the performance of the adapted proposal distributions. Elements of the list can include: <ul style="list-style-type: none"> <li>use_adapt: Logical; if TRUE, adaptive MCMC is used. Default is FALSE.</li> <li>adapt_interval: Integer; the number of iterations between each update of the proposal SDs. Default is 100.</li> <li>adapt_rate: Numeric; Robbins-Monro scaling constant (c) in step size formula: adapt_rate / iteration^decay_rate. Default is 1.0. Valid range: any positive value. Recommended: 0.5-2.0.</li> <li>decay_rate: Numeric; Robbins-Monro decay exponent (alpha) in step size formula. Default is 0.5. Valid range: (0.5, 1]. Recommended: 0.5-0.8.</li> <li>target_accept: Numeric; target acceptance rate for scalar parameters (beta, theta, gamma). Default is 0.44.</li> <li>target_accept_zw: Numeric; target acceptance rate for latent positions z and w. Default is 0.234.</li> <li>target_accept_beta/theta/gamma: Numeric; (optional) parameter-specific target acceptance rates to override target_accept.</li> </ul>
verbose	Logical; If TRUE, MCMC samples are printed for each nprint. Default is FALSE.
fix_theta_sd	Logical; If TRUE, the standard deviation of the respondent latent positions $\theta$ is fixed at 1 instead of being sampled. Default is FALSE.

## Examples

```

# generate example ordinal item response matrix
set.seed(123)
nsample <- 50
nitem <- 10
data <- matrix(sample(1:5, nsample * nitem, replace = TRUE), nrow = nsample)

# Fit 1PL GRM LSIRM with Spike-and-Slab
fit <- lsirmgrm_ss(data, niter = 1000, nburn = 500)
summary(fit)

```

onepl

*IPL Rasch model.***Description****onepl** is used to fit 1PL Rasch model.**Usage**

```
onepl(
  data,
  niter = 15000,
  nburn = 2500,
  nthin = 5,
  nprint = 500,
  jump_beta = 0.4,
  jump_theta = 1,
  pr_mean_beta = 0,
  pr_sd_beta = 1,
  pr_mean_theta = 0,
  pr_a_theta = 0.001,
  pr_b_theta = 0.001
)
```

**Arguments**

data	Matrix; binary item response matrix to be analyzed. Each row is assumed to be respondent and its column values are assumed to be response to the corresponding item.
niter	Numeric; number of iterations to run MCMC sampling. default value is 15000.
nburn	Numeric; number of initial, pre-thinning, MCMC iterations to discard. default value is 2500.
nthin	Numeric; number of thinning, MCMC iterations to discard. default value is 5.
nprint	Numeric; MCMC samples is displayed during execution of MCMC chain for each nprint. default value is 500.
jump_beta	Numeric; jumping rule of the proposal density for beta. default value is 0.4.
jump_theta	Numeric; jumping rule of the proposal density for theta. default value is 1.0.
pr_mean_beta	Numeric; mean of normal prior for beta. default value is 0.
pr_sd_beta	Numeric; standard deviation of normal prior for beta. default value is 1.0.
pr_mean_theta	Numeric; mean of normal prior for theta. default value is 0.
pr_a_theta	Numeric; shape parameter of inverse gamma prior for variance of theta. default value is 0.001.
pr_b_theta	Numeric; scale parameter of inverse gamma prior for variance of theta. default value is 0.001.

## Details

onepl models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1 | \theta_j, \beta_i)) = \theta_j + \beta_i$$

## Value

onepl returns an object of list containing the following components:

beta_estimate	posterior estimation of beta.
theta_estimate	posterior estimation of theta.
sigma_theta_estimate	posterior estimation of standard deviation of theta.
beta	posterior samples of beta.
theta	posterior samples of theta.
theta_sd	posterior samples of standard deviation of theta.
accept_beta	accept ratio of beta.
accept_theta	accept ratio of theta.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

result <- onepl(data)
```

plot

*Plotting the interaction map or summarizing the parameter estimate of fitted LSIRM with box plot.*

## Description

[plot](#) is used to plot the interaction map of fitted LSIRM or summarizing the parameter estimate of fitted LSIRM with box plot.

## Usage

```
plot(
  object,
  ...,
  option = "interaction",
  rotation = FALSE,
  cluster = NA,
  which.clust = "item",
  interact = FALSE,
  chain.idx = 1
)
```

**Arguments**

object	Object of class <code>lsirm</code> .
...	Additional arguments for the corresponding function.
option	Character; If value is "interaction", draw the interaction map that represents interactions between respondents and items. If value is "beta", draw the boxplot for the posterior samples of beta. If value is "theta", draw the distribution of the theta estimates per total test score for the data. If value is "alpha", draw the boxplot for the posterior samples of alpha. The "alpha" is only available for 2PL LSIRM.
rotation	Logical; If TRUE the latent positions are visualized after oblique (oblimin) rotation.
cluster	Character; If value is "neyman" the cluster result are visualized by Point Process Cluster Analysis. If value is "spectral", spectral clustering method applied. Default is NA.
which.clust	Character; Choose which values to clustering. "resp" is the option for respondent and "item" is the option for items. Default is "item".
interact	Logical; If TRUE, draw the interaction map interactively.
chain.idx	Numeric; Index of MCMC chain. Default is 1.

**Value**

`plot` returns the interaction map or boxplot for parameter estimate.

**Examples**

```

# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)
lsirm_result <- lsirm(data ~ lsirm1pl())
plot(lsirm_result)

# use oblique rotation
plot(lsirm_result, rotation = TRUE)

# interaction map interactively
plot(lsirm_result, interact = TRUE)

# clustering the respondents or items
plot(lsirm_result, cluster = TRUE)

```

---

print.summary.lsirm *Print the summary the result of LSIRM*

---

## Description

`print.summary.lsirm` is used to print summary the result of LSIRM.

## Usage

```
## S3 method for class 'summary.lsirm'
print(x, ...)
```

## Arguments

<code>x</code>	List; summary of LSIRM with <code>summary.lsirm</code> .
<code>...</code>	Additional arguments.

## Value

`print.summary.lsirm` return a summary of LSIRM.

## Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)
lsirm_result <- lsirm(data ~ lsirm1pl())
summary(lsirm_result)
```

---

summary.lsirm *Summary the result of LSIRM*

---

## Description

`summary` is used to summary the result of LSIRM.

## Usage

```
## S3 method for class 'lsirm'
summary(object, chain.idx = 1, estimate = "mean", CI = 0.95, ...)
```

### Arguments

object	Object of class <code>lsirm</code> .
chain.idx	Numeric; Index of MCMC chain. Default is 1.
estimate	Character; Specifies the type of posterior estimate to provide for beta parameters. Options are "mean", "median", or "mode". Default is "mean".
CI	Numeric; The significance level for the highest posterior density interval (HPD) for the beta parameters. Default is 0.95.
...	Additional arguments.

### Value

`summary.lsirm` contains following elements. A print method is available.

call	R call used to fit the model.
coef	Covariate coefficients posterior means.
mcmc.opt	The number of mcmc iteration, burn-in periods, and thinning intervals.
map.inf	Value of log maximum a posterior and iteration number which have log maximum a posterior.
BIC	Numeric value with the corresponding Bayesian information criterion (BIC).
method	Which model is fitted.
missing	The assumed missing type. One of NA, "mar" and "mcar".
dtype	Type of input data (Binary or Continuous).
ss	Whether a model selection approach using the spike-slab prior is applied.

### Examples

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

# 1PL LSIRM object
lsirm_result <- lsirm(data ~ lsirm1pl())
summary(lsirm_result)
```

### Description

TDRI dataset is the answer to Inductive Reasoning Developmental Test of 1,803 Brazilians with age varying from 5 to 85 years.

### Usage

```
data(TDRI)
```

## Format

A binary matrix with 1,803 rows and 56 columns.

## Details

It presents data from 1,803 Brazilians (52.5% female) with age varying from 5 to 85 years ( $M = 15.75$ ;  $SD = 12.21$ ) that answered to the Inductive Reasoning Developmental Test – IRDT, with 56 items designed to assess developmentally sequenced and hierarchically organized inductive reasoning.

## Source

[https://figshare.com/articles/dataset/TDRI\\_dataset\\_csv/3142321](https://figshare.com/articles/dataset/TDRI_dataset_csv/3142321)

---

twopl

*2PL Rasch model.*

---

## Description

`twopl` is used to fit 2PL Rasch model. Unlike 1PL model, 2PL model assumes the item effect can vary according to respondent, allowing additional parameter multiplied with respondent effect.

## Usage

```
twopl(  
  data,  
  niter = 15000,  
  nburn = 2500,  
  nthin = 5,  
  nprint = 500,  
  jump_beta = 0.4,  
  jump_theta = 1,  
  jump_alpha = 1,  
  pr_mean_beta = 0,  
  pr_sd_beta = 1,  
  pr_mean_theta = 0,  
  pr_mean_alpha = 0.5,  
  pr_sd_alpha = 1,  
  pr_a_theta = 0.001,  
  pr_b_theta = 0.001  
)
```

## Arguments

data	Matrix; binary item response matrix to be analyzed. Each row is assumed to be respondent and its column values are assumed to be response to the corresponding item.
------	--

niter	Numeric; number of iterations to run MCMC sampling. default value is 15000.
nburn	Numeric; number of initial, pre-thinning, MCMC iterations to discard. default value is 2500.
nthin	Numeric; number of thinning, MCMC iterations to discard. default value is 5.
nprint	Numeric; MCMC samples is displayed during execution of MCMC chain for each nprint. default value is 500.
jump_beta	Numeric; jumping rule of the proposal density for beta. default value is 0.4.
jump_theta	Numeric; jumping rule of the proposal density for theta. default value is 1.0.
jump_alpha	Numeric; jumping rule of the proposal density for alpha default value is 1.0.
pr_mean_beta	Numeric; mean of normal prior for beta. default value is 0.
pr_sd_beta	Numeric; standard deviation of normal prior for beta. default value is 1.0.
pr_mean_theta	Numeric; mean of normal prior for theta. default value is 0.
pr_mean_alpha	Numeric; mean of normal prior for alpha. default value is 0.5.
pr_sd_alpha	Numeric; mean of normal prior for beta. default value is 1.0.
pr_a_theta	Numeric; shape parameter of inverse gamma prior for variance of theta. default value is 0.001.
pr_b_theta	Numeric; scale parameter of inverse gamma prior for variance of theta. default value is 0.001.

## Details

twopl models the probability of correct response by respondent  $j$  to item  $i$  with item effect  $\beta_i$ , respondent effect  $\theta_j$ . For 2pl model, the the item effect is assumed to have additional discrimination parameter  $\alpha_i$  multiplied by  $\theta_j$ :

$$\text{logit}(P(Y_{j,i} = 1|\theta_j, \beta_i, \alpha_i)) = \theta_j * \alpha_i + \beta_i$$

## Value

twopl returns an object of list containing the following components:

beta_estimate	posterior estimation of beta.
theta_estimate	posterior estimation of theta.
sigma_theta_estimate	posterior estimation of standard deviation of theta.
alpha_estimate	posterior estimation of alpha.
beta	posterior samples of beta.
theta	posterior samples of theta.
theta_sd	posterior samples of standard deviation of theta.
alpha	posterior samples of alpha.
accept_beta	accept ratio of beta.
accept_theta	accept ratio of theta.
accept_alpha	accept ratio of alpha.

**Examples**

```
# generate example item response matrix
data      <- matrix(rbinom(500, size = 1, prob = 0.5), ncol=10, nrow=50)

result <- twopl(data)
```

# Index

BFPT, 3  
diagnostic, 4  
gof, 5, 5  
  
lsirm, 5, 5  
lsirm.formula, 7, 7  
lsirm12pl, 7  
lsirm1pl, 6, 7, 7  
lsirm1pl\_fixed\_gamma, 11, 12, 12  
lsirm1pl\_fixed\_gamma\_mar, 11, 14, 14  
lsirm1pl\_fixed\_gamma\_mcar, 11, 17, 17  
lsirm1pl\_mar, 10, 11, 20, 20  
lsirm1pl\_mar\_ss, 11, 23, 23  
lsirm1pl\_mcar, 10, 11, 27, 27  
lsirm1pl\_mcar\_ss, 11, 30, 30  
lsirm1pl\_normal\_fixed\_gamma, 11, 33, 33  
lsirm1pl\_normal\_fixed\_gamma\_mar, 11, 36, 36, 74  
lsirm1pl\_normal\_fixed\_gamma\_mcar, 11, 39, 39  
lsirm1pl\_normal\_mar, 11, 42, 42  
lsirm1pl\_normal\_mar\_ss, 11, 46, 46  
lsirm1pl\_normal\_mcar, 11, 50, 50  
lsirm1pl\_normal\_mcar\_ss, 11, 53, 53  
lsirm1pl\_normal\_o, 10, 11, 57, 57  
lsirm1pl\_normal\_ss, 11, 60, 60  
lsirm1pl\_o, 11, 63, 63  
lsirm1pl\_ss, 10, 11, 66, 66  
lsirm2pl, 6, 70, 70  
lsirm2pl\_fixed\_gamma, 74, 74  
lsirm2pl\_fixed\_gamma\_mar, 74, 77, 77  
lsirm2pl\_fixed\_gamma\_mcar, 74, 80, 81  
lsirm2pl\_mar, 72, 74, 84, 84  
lsirm2pl\_mar\_ss, 74, 88, 88, 95  
lsirm2pl\_mcar, 72, 74, 92, 92  
lsirm2pl\_mcar\_ss, 74, 95  
lsirm2pl\_normal\_fixed\_gamma, 74, 99, 99  
lsirm2pl\_normal\_fixed\_gamma\_mar, 102, 102  
lsirm2pl\_normal\_fixed\_gamma\_mcar, 74, 105, 105  
lsirm2pl\_normal\_mar, 74, 109, 109  
lsirm2pl\_normal\_mar\_ss, 74, 113, 113  
lsirm2pl\_normal\_mcar, 74, 117, 117  
lsirm2pl\_normal\_mcar\_ss, 74, 121, 121  
lsirm2pl\_normal\_o, 72, 74, 125, 125  
lsirm2pl\_normal\_ss, 74, 128, 128  
lsirm2pl\_o, 74, 132, 132  
lsirm2pl\_ss, 72, 74, 135, 135  
lsirmgrm, 6, 139, 139, 163, 168  
lsirmgrm2pl, 143, 143, 149  
lsirmgrm2pl\_fixed\_gamma, 147, 147  
lsirmgrm2pl\_mar, 150, 150  
lsirmgrm2pl\_mcar, 152, 152  
lsirmgrm2pl\_o, 155  
lsirmgrm2pl\_ss, 158, 158  
lsirmgrm\_fixed\_gamma, 161, 161  
lsirmgrm\_mar, 163, 163  
lsirmgrm\_mcar, 166, 166  
lsirmgrm\_o, 168, 168  
lsirmgrm\_ss, 171, 171  
onepl, 174, 174  
plot, 175, 175  
print.summary.lsirm, 177, 177  
summary, 177  
summary.lsirm, 177  
TDRI, 178  
twopl, 179, 179